

# Jinbo Marine

Marine &amp; Offshore Equipment Datasheet

PRODUCT DATASHEET

## JIS MARINE GLOBE VALVE

# Marine Bronze Globe Valve JIS F7301 5K

ISO9001 Supplier

Class Certificate

Export Supply

Marine Bronze Globe Valve or Marine Brass Globe Valve can be called as Marine Bronze/Brass Stop Valve. Function: Open/Close the pipe system Design Standard: JIS F7301-1996 Test Standard: JIS F7400-1996 ...



### Key Highlights

Category	JIS Marine Globe Valve
Standard	JIS
Material	Bronze
Weight / Size	Body-1.05Mpa, Seat-0.77Mpa Flange Size as per JIS B2220-5K *DN15-DN40 wi...
Certificate	CCS,DNV,GL, LR, ABS, BV, NK,KR,RINA

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

### Technical Specifications


Category	JIS Marine Globe Valve	Model / SKU	Marine-Bronze-Globe-Valve-JIS-F7301-5K
Standard	JIS	Material	Bronze
Weight / Size	Body-1.05Mpa, Seat-0.77Mpa Flange Size as per JIS B2220-5K *DN15-DN40 with screwed bonnet, DN50-DN65 with bolted bonnet Main Material:	Certificate	CCS,DNV,GL, LR, ABS, BV, NK,KR,RINA
Warranty	12 Months unless specified otherwise	Origin	China

#### CONTENTS

- China Marine Bronze Globe Valve JIS F7301 5K:
- Main Material:
- Main Size List(mm):

 0.051287s

## China Marine Bronze Globe Valve JIS F7301 5K:



Marine Bronze Globe Valve or Marine Brass Globe Valve can be called as Marine Bronze/Brass Stop Valve.

Function: Open/Close the pipe system

Design Standard: JIS F7301-1996

Test Standard: JIS F7400-1996

Test Pressure: Body-1.05Mpa, Seat-0.77Mpa

Flange Size as per JIS B2220-5K

\*DN15-DN40 with screwed bonnet, DN50-DN65 with bolted bonnet

### Main Material:

1-Body: Bronze (BC6)/ Brass

2-Disc: Bronze (BC6) / Brass

3-Stem: Brass (C3771BD)

4-Bonnet: Bronze (BC6) /Brass

5-Handwheel: Cast Iron (FC200)

### Main Size List(mm):

IMPA Code	Size	Face to Face (L)	Flange diam. (D)	Pitch (C)	No of Bolt Hole	h	t	H	D2
750121	15	100	80	60	4	12	9	130	80
750122	20	110	85	65	4	12	10	140	100
750123	25	120	95	75	4	12	10	160	125
750124	32	140	115	90	4	15	12	170	125
750125	40	160	120	95	4	15	12	190	140
750126	50	210	130	105	4	15	14	235	140



750127	65	250	155	130	4	15	14	260	160
--------	----	-----	-----	-----	---	----	----	-----	-----

