

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

CB MARINE STORM VALVE

Marine Bronze Storm Valve CB/T3475-92 Type B/BS

ISO9001 Supplier

Class Certificate

Export Supply

Marine Bronze/Cast Steel Storm Valve is used in the fresh water, sea water or sewage pipe system. Design Standard: CB/T3475-92 Flange Standard: GB569 or GB2501 Test and Inspection Standard: GB600 ...



Key Highlights

Category	CB Marine Storm Valve
Standard	GB
Material	Bronze
Weight / Size	Body--Bronze Bonnet--Bronze Disc--Bronze Gland--Brass Main Size(mm):
Certificate	CCS, BV, ABS, GL, LR, DNV, NK,RINA, KR,IRS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications

Category	CB Marine Storm Valve	Model / SKU	Marine-Bronze-Storm-Valve-CB-T3475-92-Type-B-BS
Standard	GB	Material	Bronze
Weight / Size	Body--Bronze Bonnet--Bronze Disc--Bronze Gland--Brass Main Size(mm):	Certificate	CCS, BV, ABS, GL, LR, DNV, NK,RINA, KR,IRS
Warranty	12 Months unless specified otherwise	Origin	China

CONTENTS

- China Marine Bronze Storm Valve CB/T3475-92 Type B/BS:
- Main Parts & Material:
- Technical Data:
- Main Size(mm):



50	65	1 8 5	2 0 5	1 2 0	9 0	7. 5	5	1 3 5	1 0 3	8 4	1 4	1 5	6	M 1 4	1 5 5	1 2 3	1 0 4	1 4 5	6	M 1 4	8	9	8	9	
65	80	2 0 0	2 2 6	1 3 0	1 0	8	6	1 5 5	1 2 3	1 0 4	1 4	1 5	6	M 1 4	1 7 0	1 3 8	11 8	1 4	1 5	8	M 1 4	1 0	1 1	1 1	1 2
80	100	2 2 6	2 6 0	1 5 0	1 2 0	8. 5	6	1 7 0	1 3 8	11 8	1 4	1 5	8	M 1 4	1 9 0	1 5 8	1 3 8	1 4 5	8	M 1 4	1 4	1 5	1 5	1 6	
100	125	2 5 0	3 0 0	1 7 5	1 4 0	9	6	1 9 0	1 5 8	1 3 8	1 4	1 5	8	M 1 4	2 1 5	1 8 3	1 6 4	1 4 5	1	M 1 4	2 3	2 4	2 4	2 3	
125	150	-	3 5 0	-	1 6 5	10	7	2 1 5	1 8 3	1 6 4	1 4	1 5	1	M 1 4	2 4 0	2 0 8	1 9 0	1 4 5	1	M 1 4	-	3 3	-	3 3	
150	175	-	3 7 0	-	1 7 0	11	7	2 4 0	2 0 8	1 9 0	1 4	1 5	1	M 1 4	2 7 0	2 3 8	2 2 1	1 5 5	1	M 1 4	-	3 5	-	3 8	

Type AS/BS:

no mi nal dia me ter	ex por t dia me ter	structure dimension				Thickne ss δ		connecting dimation of inlet flange					bolt		connecting dimation of outlet flange					bolt		Weight(kg)			
		L		H		ca st ste el	br o nz e	D	D 1	D 2	b	d	n	T h.	D 3	D 4	D 5	b 1	d 1	n	T h.	cast steel		bronze steel	
		A S	B S	A S	B S																	A S	B S	A S	B S
50	65	1 8 5	2 0 5	1 2 0	9 0	7. 5	5	1 4 0	11 0	9 0	1 6	1 4	4	M 1 2	1 6 0	1 3 0	11 0	1 6	1 4	4	M 1 2	8	9	8	9
65	80	2 0 0	2 2 6	1 3 0	1 0	8	6	1 6 0	1 3 0	11 0	1 6	1 4	4	M 1 2	1 9 0	1 5 0	1 2 8	1 8	1 8	4	M 1 6	1 0	1 3	1 1	1 3
80	100	2 2 6	2 6 0	1 5 0	1 2 0	8. 5	6	1 9 0	1 5 0	1 2 8	1 8	1 8	4	M 1 6	2 1 0	1 7 0	1 4 8	1 8	1 8	4	M 1 6	1 5	1 8	1 6	1 9
100	125	2 5 0	3 0 0	1 7 5	1 4 0	9	6	2 1 0	1 7 0	1 4 8	1 8	1 8	4	M 1 6	2 4 0	2 0 0	1 7 8	2 0 8	1 8	8	M 1 6	2 5	2 7	2 6	2 8
125	150	-	3 5 0	-	1 6 5	10	7	2 4 0	2 0 0	1 7 8	2 0	1 8	8	M 1 6	2 6 5	2 2 5	2 0 2	2 0 8	1 8	8	M 1 6	-	4 1	-	4 1
150	175	-	3 7 0	-	1 7 0	11	7	2 6 5	2 2 5	2 0 2	2 0	1 8	8	M 1 6	2 9 5	2 5 5	2 3 2	2 8	1 8	8	M 1 6	-	5 0	-	5 1

