

# Jinbo Marine

Marine &amp; Offshore Equipment Datasheet

PRODUCT DATASHEET

## JIS MARINE AIR VENT HEAD

# Marine Cast Iron Air Vent Head JIS - KS91A-121(DN100-DN450)

ISO9001 Supplier

Class Certificate

Export Supply

Air Vent Head also can be called as air pipe head, is used as the ventilation of the oil tank or water tank on the vessel. Flange size as per JIS B2220 - 5K \* The flange size also can be manufactured accordin...



### Key Highlights

Category	JIS Marine Air Vent Head
Standard	JIS
Material	Cast Iron
Weight / Size	Flange size as per JIS B2220 - 5K * The flange size also can be manufact...
Certificate	CCS,BV,GL,NK,RINA,ABS,DN V

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

### Technical Specifications

Category	JIS Marine Air Vent Head	Model / SKU	Marine-Cast-Iron-Air-Vent-Head-JIS-KS91A-121-DN100-DN450
Standard	JIS	Material	Cast Iron
Weight / Size	Flange size as per JIS B2220 - 5K * The flange size also can be manufactured according to 10K, 16K.	Certificate	CCS,BV,GL,NK,RINA,ABS,DNV
Warranty	12 Months unless specified otherwise	Origin	China


#### CONTENTS

- China Marine Cast Iron Air Vent Head JIS -KS91A-121(DN100-DN450):
- Main Size List(mm):
- Main Material:



0.055479s

## China Marine Cast Iron Air Vent Head JIS -KS91A-121(DN100-DN450):



Air Vent Head also can be called as air pipe head, is used as the ventilation of the oil tank or water tank on the vessel.

Flange size as per JIS B2220 - 5K

\* The flange size also can be manufactured according to 10K, 16K.

### Main Material:

S/N	Name	Material	S/N	Name	Material
1	Hex Bolt	STS304	8	Screen Cover	SS400
2	Cover	SS400	9	Float Disc	STS304
3	Packing	NBR	10	Hex Bolt	STS304
4	Body	FC200,FCD450	11	Packing	NBR
5	Hex Bolt	STS304	12	Spring Washer	STS304
6	Rubber Ring	NBR	13	Guide Bolt	STS304
7	Wire Screen	STS304			

### Main Size List(mm):

Dimension (mm)										Weight (kgs)
DN	D2	D3	HT	H1	T	N-d1	A	A3	R	
100	165	200	220	160	16	8-19	245	155	250	23
125	200	235	250	180	16	8-19	270	180	288	34
150	230	265	285	208	18	8-19	316	216	330	47
200	280	320	365	269	20	8-23	394	274	432	72
250	345	385	430	314	22	12-23	485	325	546	120
300	390	430	530	367	22	12-23	550	384	616	178
350	435	480	570	415	24	12-23	661	425	714	19



400	495	540	640	475	24	12-23	703	457	749	235
450	555	605	713	522	24	12-23	816	510	836	298

Remarks: The flange size in the above list is JIS 5K.