GB MARINE BUTTERFLY VALVE

Marine Center Pivoted Hand Manual Wafer Butterfly Valve

ISO9001 Supplier

Class Certificate

Export Supply

Marine Center Hand Manual Wafer Butterfly valve is used to adjust the flow rate, open and close the pipe system in the marine pipe system, with the simple structure. Connection Type: Wafer, Lug, Flange ...

Key Highlights

Category	GB Marine Butterfly Valve
Standard	JIS
Material	Cast Iron, Cast Steel, Bronze
Weight / Size	Stainless Steel Main Size:
Certificate	CCS, BV, ABS, GL, LR, DNV, NK,RINA, KR,IRS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications

Category	GB Marine Butterfly Valve	**Model / SKU**	Marine-Center-Pivoted-Hand-Manual-Wafer-Butterfly-Valve
Standard	JIS	**Material**	Cast Iron, Cast Steel, Bronze
Weight / Size	Stainless Steel Main Size:	**Certificate**	CCS, BV, ABS, GL, LR, DNV, NK,RINA, KR,IRS
Warranty	12 Months unless specified otherwise	**Origin**	China

CONTENTS

- China Marine Center Pivoted Hand Manual Wafer Butterfly Valve:
- Main Material:
- Technical Specification:
- Main Size:

China Marine Center Pivoted Hand Manual Wafer Butterfly Valve:

Marine Center Hand Manual Wafer Butterfly valve is used to adjust the flow rate, open and close the pipe system in the marine pipe system, with the simple structure.

Connection Type: Wafer, Lug, Flange

Technical Specification:

Design Standard: GB/T3036-1994 Type A/AS

Test Standard: GB600

Applicable Medium: sea water, fresh water, air, crude/refined oil (t≤70℃)

Main Material:

1-Body: Cast Iron, Ductile Iron, Cast Steel, Bronze

2-Disc: DI or WCB with galv, Stainless Steel, Bronze

3-Pin: Stainless Steel

4-Seat: NBR, EPDM,CR,FKM,VITION,PTFE

5-Stem: Stainless Steel

Main Size:

Nominal Pressure Mpa	Nominal diameter	Structure& Flange Dimension															Hole of Bolt					
		ISO、JIS、GB			ISO(GB2501-89)				JIS				GB(GB569-65)				ISO		JIS		GB	
		H	H1	L1	L	D	D1	D2	L	D	D1	D2	L	D	D1	D2	n	Th.	n	Th.	n	Th.
1.0	50	235	90	260	43	165	125	102	40	155	120	88	43	135	103	84	4	18	4	19	6	16
	65	250	100	260	46	185	145	122	40	175	140	112	46	155	123	104	4	18	4	19	6	16
	80	295	130	260	46	200	160	133	60	185	150	125	46	170	138	118	8	18	8	19	8	16
	100	315	135	260	52	220	180	158	60	210	175	144	52	190	158	138	8	M16	8	M16	8	M14
	125	350	155	260	56	250	210	184	60	250	210	178	56	215	183	164	8	M16	8	M20	10	M14
	150	405	170	310	56	285	240	212	70	280	240	207	56	240	208	190	8	M20	8	M20	12	M14
	200	455	190	310	60	340	295	268	80	330	290	265	60	310	273	250	8	M20	12	M20	14	M16