

GB MARINE BUTTERFLY VALVE

Marine Center-Pivoted Worm Manual Wafer Butterfly Valve

ISO9001 Supplier

Class Certificate

Export Supply

Marine Center Worm Manual Butterfly valve is operated by worm gear, used to adjust the flow rate, open and close the pipe system in the marine pipe system. The connection type also can be Lug type or Flange type. T...



Key Highlights

Category	GB Marine Butterfly Valve
Standard	JIS
Material	Cast Iron, Cast Steel, Bronze
Weight / Size	Stainless Steel Main Size:
Certificate	CCS, BV, ABS, GL, LR, DNV, NK,RINA, KR,IRS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications

Category	GB Marine Butterfly Valve	Model / SKU	Marine-Center-Pivoted-Worm-Manual-Wafer-Butterfly-Valve
Standard	JIS	Material	Cast Iron, Cast Steel, Bronze
Weight / Size	Stainless Steel Main Size:	Certificate	CCS, BV, ABS, GL, LR, DNV, NK,RINA, KR,IRS
Warranty	12 Months unless specified otherwise	Origin	China

CONTENTS

- China Marine Center-Pivoted Worm Manual Wafer Butterfly Valve:
- Main Material:
- Technical Specification:
- Main Size:

China Marine Center-Pivoted Worm Manual Wafer Butterfly Valve:



Marine Center-Pivoted Worm Manual Wafer Butterfly Valve



0.061723s

Marine Center Worm Manual Butterfly valve is operated by worm gear, used to adjust the flow rate, open and close the pipe system in the marine pipe system. The connection type also can be Lug type or Flange type.

Technical Specification:

Design Standard: GB/T3036-1994 Type C/CS

Test Standard: GB600

Applicable Medium: sea water, fresh water, air, crude/refined oil ($t \leq 70^{\circ}\text{C}$)

Main Material:

1-Body: Cast Iron, Ductile Iron, Cast Steel, Bronze, Aluminum Alloy

2-Disc: WCB with galv, Stainless Steel, Bronze

3-Pin: Stainless Steel

4-Seat: NBR, EPDM, CR, FPM, VITON, PTFE

5-Stem: Stainless Steel

Main Size:

Nominal Pressure	Nominal Diameter	Structure & Flange Dimension																Hole of Nut					
		ISO、JIS、GB				ISO(GB2501-89)				JIS				GB(GB569-65)				ISO		JIS		GB	
Mpa	mm	H	H	L	D	L	D	D	D	L	D	D	D	L	D	D	D	n	Th	n	Th	n	Th
			1	1	0			1	2			1	2			1	2		.		.		.

1	50	2 8 0	9 0 0	1 6 0	1 4 0	4 3 5	1 6 5	1 2 5	1 0 2	4 0 5	1 5 0	1 2 0	8 8 3	4 3 5	1 3 5	1 0 3	8 4 4	4	18	4	19	6	16
	65	2 9 5	1 0 0	1 6 0	1 4 0	4 6 5	1 8 5	1 4 5	1 2 2	4 0 5	1 7 5	1 4 0	1 1 2	4 6 5	1 5 3	1 2 4	1 0 4	4	18	4	19	6	16
	80	3 4 0	1 3 0	1 6 0	1 4 0	4 6 0	2 0 0	1 6 3	1 3 3	6 0 5	1 8 5	1 5 0	1 2 5	4 6 5	1 7 0	1 3 8	1 1 8	8	18	8	19	8	16
	100	3 6 0	1 3 5	1 6 0	1 4 0	5 2 0	2 2 0	1 8 8	1 5 8	6 0 0	2 1 0	1 7 5	1 4 4	5 2 4	1 9 0	1 5 8	1 3 8	8	M 16	8	M 16	8	M 14
	125	3 9 5	1 5 5	1 6 0	1 4 0	5 6 0	2 5 0	2 1 0	1 8 4	6 0 0	2 5 0	2 1 0	1 7 8	5 6 5	2 1 5	1 8 3	1 6 4	8	M 16	8	M 20	1 0	M 14
	150	4 3 0	1 7 0	1 9 0	2 2 0	5 6 5	2 8 0	2 4 2	2 1 2	7 0 0	2 8 0	2 4 0	2 0 7	5 6 5	2 4 0	2 0 8	1 9 0	8	M 20	8	M 20	1 2	M 14
	200	4 8 0	1 9 0	1 9 0	2 2 0	6 0 0	3 4 5	2 9 8	2 6 8	8 0 0	3 3 0	2 9 0	2 6 0	6 0 0	3 1 0	2 7 3	2 5 0	8	M 20	1 2	M 20	1 2	M 16
	250	5 5 0	2 2 5	2 2 5	3 0 0	6 8 5	3 9 5	3 5 0	3 2 0	9 0 0	4 0 0	3 5 5	3 1 6	6 8 0	3 8 0	3 3 6	3 1 0	1 2	M 20	1 2	M 22	1 4	M 20
	300	6 3 0	2 6 0	2 2 5	3 0 0	7 8 5	4 4 5	4 0 0	3 7 0	9 0 5	4 4 5	4 0 0	3 6 1	7 8 5	4 3 5	3 9 1	3 6 4	1 2	M 20	1 6	M 22	1 6	M 20
	350	6 8 0	2 7 0	2 2 5	3 8 0	7 8 5	5 6 0	4 3 0	4 3 0	1 0 0	4 9 0	4 4 5	4 0 4	7 8 5	4 8 5	4 4 1	4 1 4	1 6	M 20	1 6	M 22	1 8	M 20
	400	7 9 5	3 1 5	2 6 5	3 8 0	1 0 2	5 6 5	5 1 5	4 8 2	1 1 0	5 6 0	5 1 0	4 6 2	1 0 2	5 6 2	4 9 5	4 6 6	1 6	M 24	1 6	M 24	1 8	M 24
	450	8 6 0	3 4 0	2 6 5	3 8 0	1 1 4	6 1 5	5 6 5	5 3 2	1 3 0	6 2 0	5 6 5	5 3 0	1 1 4	6 0 4	5 0 0	5 2 0	2 0	M 24	2 0	M 24	2 0	M 24
500	9 8 0	3 7 5	2 6 5	3 8 0	1 2 6	6 7 0	6 2 0	5 8 5	1 4 0	6 7 5	6 2 0	5 8 5	1 2 6	6 5 6	6 0 0	5 7 2	2 0	M 27	2 0	M 24	2 0	M 24	

