

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

CLEAR VIEW SCREEN

Marine Clear View Screen

Marine Clear View Screen has the feature of removing the rain, snow and sea water from the window with the centrifugal force generated from the high speed rotation of glass driven by the motor, keep c

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Clear View Screen
Standard	EN
Weight / Size	Outdoor IP56 Indoor IP22 Thickness of Mounting Wall:10-22mm Main Model E...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications

Category	Clear View Screen	Model / SKU	Marine-Clear-View-Screen
Standard	EN	Weight / Size	Outdoor IP56 Indoor IP22 Thickness of Mounting Wall:10-22mm Main Model External Diameter (mm) Diameter of transparent glass (mm) Dimension of mounting wall (mm) Weight (kgs) 370 300 341 10.5 420 350 391 12.5 300mm Marine Clear View Screen, Glass thickness 8mm
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	Warranty	12 Months unless specified otherwise
Origin	China		

CONTENTS

- China Marine Clear View Screen:

- Main Specification:



0.041554s

China Marine Clear View Screen:



Marine Clear View Screen made of double layer glass structure for preventing rain and water, better visual field under normal condition. Marine Clear View is suitable for oil tankers, chemical tankers and high speed naval ships.

Ship Clear View Screen has the feature of removing the rain, snow and sea water from the window with the centrifugal force generated from the high speed rotation of glass driven by the motor, keep clear vision.

Main Specification:

Voltage: AC220V, AC110V, DC24V

Frequency: 50Hz/60Hz

Input Power:

Motor Power $\leq 90W$

Heater Power $\leq 250W$

Protection Grade:

Outdoor IP56 Indoor IP22

Thickness of Mounting Wall: 10-22mm

Main Model

External Diameter (mm)	Diameter of transparent glass (mm)	Dimension of mounting wall (mm)	Weight (kgs)
370	300	341	10.5
420	350	391	12.5

300mm Marine Clear View Screen, Glass thickness 8mm

