

## CB MARINE STORM VALVE

# Marine Flange Cast Steel Angle Storm Valve CB/T3475-92

ISO9001 Supplier

Class Certificate

Export Supply

Marine Bronze/Cast Steel Storm Valve is used in the fresh water, sea water or sewage pipe system. Design Standard: CB/T3475-92 Flange Standard: GB569 or GB2501 Test and Inspection Standard: GB600 ...

**Key Highlights**

|               |   |
|---------------|---|
| Category      | CB Marine Storm Valve   |
| Standard      | GB  |
| Material      | Cast Steel  |
| Weight / Size | Body--Cast Steel Bonnet--Cast Steel Disc--Bronze Gland--Brass Main Size(... |
| Certificate   | CCS, BV, DNV, LR, ABS, NK,IRS, RMRS, GL                                     |

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

**Technical Specifications**

|               |  |             |  |
|---------------|--|-------------|--|
| Category      | CB Marine Storm Valve  | Model / SKU | Marine-Flange-Cast-Steel-Angle-Storm-Valve-CB-T3475-92 |
| Standard      | GB   | Material    | Cast Steel   |
| Weight / Size | Body--Cast Steel Bonnet--Cast Steel Disc--Bronze Gland--Brass Main Size(mm): | Certificate | CCS, BV, DNV, LR, ABS, NK,IRS, RMRS, GL                |
| Warranty      | 12 Months unless specified otherwise   | Origin      | China  |

**CONTENTS**

- China Marine Flange Cast Steel Angle Storm Valve CB/T3475-92:
- Main Parts & Material:
- Technical Data:
- Main Size(mm):



|     |     |             |             |             |             |         |   |             |             |             |        |        |   |             |             |             |             |             |        |             |             |             |             |             |
|-----|-----|-------------|-------------|-------------|-------------|---------|---|-------------|-------------|-------------|--------|--------|---|-------------|-------------|-------------|-------------|-------------|--------|-------------|-------------|-------------|-------------|-------------|
| 50  | 65  | 1<br>8<br>5 | 2<br>0<br>5 | 1<br>2<br>0 | 9<br>0      | 7.<br>5 | 5 | 1<br>3<br>5 | 1<br>0<br>3 | 8<br>4      | 1<br>4 | 1<br>5 | 6 | M<br>1<br>4 | 1<br>5<br>5 | 1<br>2<br>3 | 1<br>0<br>4 | 1<br>4<br>5 | 6      | M<br>1<br>4 | 8           | 9           | 8           | 9           |
| 65  | 80  | 2<br>0<br>0 | 2<br>2<br>6 | 1<br>3<br>0 | 1<br>0      | 8       | 6 | 1<br>5<br>5 | 1<br>2<br>3 | 1<br>0<br>4 | 1<br>4 | 1<br>5 | 6 | M<br>1<br>4 | 1<br>7<br>0 | 1<br>3<br>8 | 11<br>8     | 1<br>4<br>5 | 1<br>5 | 8           | M<br>1<br>4 | 1<br>0<br>1 | 1<br>1<br>1 | 1<br>1<br>2 |
| 80  | 100 | 2<br>2<br>6 | 2<br>6<br>0 | 1<br>5<br>0 | 1<br>2<br>0 | 8.<br>5 | 6 | 1<br>7<br>0 | 1<br>3<br>8 | 11<br>8     | 1<br>4 | 1<br>5 | 8 | M<br>1<br>4 | 1<br>9<br>0 | 1<br>5<br>8 | 1<br>3<br>8 | 1<br>4<br>5 | 1<br>5 | 8           | M<br>1<br>4 | 1<br>4<br>5 | 1<br>5<br>5 | 1<br>5<br>6 |
| 100 | 125 | 2<br>5<br>0 | 3<br>0<br>0 | 1<br>7<br>5 | 1<br>4<br>0 | 9       | 6 | 1<br>9<br>0 | 1<br>5<br>8 | 1<br>3<br>8 | 1<br>4 | 1<br>5 | 8 | M<br>1<br>4 | 2<br>1<br>5 | 1<br>8<br>3 | 1<br>6<br>4 | 1<br>4<br>5 | 1<br>0 | M<br>1<br>4 | 2<br>3<br>4 | 2<br>4<br>4 | 2<br>4<br>3 |             |
| 125 | 150 | -           | 3<br>5<br>0 | -           | 1<br>6<br>5 | 10      | 7 | 2<br>1<br>5 | 1<br>8<br>3 | 1<br>6<br>4 | 1<br>4 | 1<br>5 | 1 | M<br>1<br>4 | 2<br>4<br>0 | 2<br>0<br>8 | 1<br>9<br>0 | 1<br>4<br>5 | 1<br>2 | M<br>1<br>4 | -           | 3<br>3<br>- | -           | 3<br>3      |
| 150 | 175 | -           | 3<br>7<br>0 | -           | 1<br>7<br>0 | 11      | 7 | 2<br>4<br>0 | 2<br>0<br>8 | 1<br>9<br>0 | 1<br>4 | 1<br>5 | 1 | M<br>1<br>4 | 2<br>7<br>0 | 2<br>3<br>8 | 2<br>2<br>1 | 1<br>5<br>5 | 1<br>2 | M<br>1<br>4 | -           | 3<br>5<br>- | -           | 3<br>8      |

Type AS/BS:

| no<br>mi<br>nal<br>dia<br>me<br>ter | ex<br>por<br>t<br>dia<br>me<br>ter | structure<br>dimension |             |             |             | Thickne<br>ss<br>δ    |                | connecting dimation<br>of inlet flange |             |             |        |        | bolt |             | connecting dimation<br>of outlet flange |             |             |             |        | bolt        |             | Weight(kg)    |             |                 |        |
|-------------------------------------|------------------------------------|------------------------|-------------|-------------|-------------|-----------------------|----------------|--|-------------|-------------|--------|--------|------|-------------|---|-------------|-------------|-------------|--------|-------------|-------------|---------------|-------------|-----------------|--------|
|                                     |                                    | L                      |             | H           |             | ca<br>st<br>ste<br>el | br<br>on<br>ze | D                                      | D<br>1      | D<br>2      | b      | d      | n    | T<br>h.     | D<br>3                                  | D<br>4      | D<br>5      | b<br>1      | d<br>1 | n           | T<br>h.     | cast<br>steel |             | bronze<br>steel |        |
|                                     |                                    | A<br>S                 | B<br>S      | A<br>S      | B<br>S      |                       |                |  |             |             |        |        |      |             |   |             |             |             |        |             |             | A<br>S        | B<br>S      | A<br>S          | B<br>S |
| 50                                  | 65                                 | 1<br>8<br>5            | 2<br>0<br>5 | 1<br>2<br>0 | 9<br>0      | 7.<br>5               | 5              | 1<br>4<br>0                            | 11<br>0     | 9<br>0      | 1<br>6 | 1<br>4 | 4    | M<br>1<br>2 | 1<br>6<br>0                             | 1<br>3<br>0 | 11<br>0     | 1<br>6<br>4 | 1<br>4 | 4           | M<br>1<br>2 | 8             | 9           | 8               | 9      |
| 65                                  | 80                                 | 2<br>0<br>0            | 2<br>2<br>6 | 1<br>3<br>0 | 1<br>0      | 8                     | 6              | 1<br>6<br>0                            | 1<br>3<br>0 | 11<br>0     | 1<br>6 | 1<br>4 | 4    | M<br>1<br>2 | 1<br>9<br>0                             | 1<br>5<br>8 | 1<br>2<br>8 | 1<br>8      | 4      | M<br>1<br>6 | 1<br>0<br>1 | 1<br>3<br>1   | 1<br>1<br>3 |                 |        |
| 80                                  | 100                                | 2<br>2<br>6            | 2<br>6<br>0 | 1<br>5<br>0 | 1<br>2<br>0 | 8.<br>5               | 6              | 1<br>9<br>0                            | 1<br>5<br>0 | 1<br>2<br>8 | 1<br>8 | 1<br>8 | 4    | M<br>1<br>6 | 2<br>1<br>0                             | 1<br>7<br>0 | 1<br>4<br>8 | 1<br>8      | 4      | M<br>1<br>6 | 1<br>5<br>8 | 1<br>6<br>9   |             |                 |        |
| 100                                 | 125                                | 2<br>5<br>0            | 3<br>0<br>0 | 1<br>7<br>5 | 1<br>4<br>0 | 9                     | 6              | 2<br>1<br>0                            | 1<br>7<br>0 | 1<br>4<br>8 | 1<br>8 | 1<br>8 | 4    | M<br>1<br>6 | 2<br>4<br>0                             | 2<br>0<br>8 | 1<br>7<br>8 | 2<br>0      | 8      | M<br>1<br>6 | 2<br>5<br>7 | 2<br>6<br>8   |             |                 |        |
| 125                                 | 150                                | -                      | 3<br>5<br>0 | -           | 1<br>6<br>5 | 10                    | 7              | 2<br>4<br>0                            | 2<br>0<br>8 | 1<br>7<br>8 | 2<br>0 | 1<br>8 | 8    | M<br>1<br>6 | 2<br>6<br>5                             | 2<br>2<br>5 | 2<br>0<br>2 | 2<br>0      | 8      | M<br>1<br>6 | -           | 4<br>1        | -           | 4<br>1          |        |
| 150                                 | 175                                | -                      | 3<br>7<br>0 | -           | 1<br>7<br>0 | 11                    | 7              | 2<br>6<br>5                            | 2<br>2<br>5 | 2<br>0<br>2 | 2<br>0 | 1<br>8 | 8    | M<br>1<br>6 | 2<br>9<br>5                             | 2<br>5<br>2 | 2<br>3<br>2 | 2<br>8      | 8      | M<br>1<br>6 | -           | 5<br>0        | -           | 5<br>1          |        |

