

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

HOT WELL

Marine Hot Well

Marine Hot Well

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Hot Well
Standard	EN
Material	Steel
Weight / Size	Type Hot-well Capacity m3) Cooled Area (m2) Outline Dimension L×B×H(mm) ...
Certificate	CCS, BV, ABS, GL , LR, NK

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.


Technical Specifications			
Category	Hot Well	Model / SKU	Marine-Hot-Well
Standard	EN	Material	Steel
Weight / Size	Type Hot-well Capacity m3) Cooled Area (m2) Outline Dimension L×B×H(mm) 1 ZHWU-0.3/2.0 0.25 1 1350×600×1050 2 ZHWU-0.5/3.0 0.5 2 1600×700×1250 3 ZHWU-0.75/5.0 0.75 3 1600×1000×1250 4 ZHWU-1.0/5.0 1 5 1700×1300×1450 5 ZHWU-1.0/8.0 1 8 1750×1300×1450 6 ZHWU-1.2/6.0 1.2 6 1800×1500×1650 7 ZHWU-1.2/8.0 1.2 8 1950×1500×1650 8 ZHWU-1.5/8.0 1.5 8 1950×1500×1950 9 ZHWU-1.5/10 1.5 10 1900×1500×1950 10 ZHWU-2.0/12 2 12 2000×1600×1950 11 ZHWU-2.0/15 2 15 2500×1600×1950 12 ZHWU-2.5/18 2.5 18 2500×1800×1950 13 ZHWU-2.5/20 2.5 20 2500×1800×1950	Certificate	CCS, BV, ABS, GL , LR, NK
Warranty	12 Months unless specified otherwise	Origin	China

CONTENTS	■ China Marine Hot Well:	■ Technical Data:
-----------------	--------------------------	-------------------

China Marine Hot Well:

Hot Well is one of the most important parts of the combination systems of fuel-oil exhaust gas and boiler.

For more details, please contact us.



Technical Data:

No.	Type	Hot-well Capacity m3)	Cooled Area (m2)	Outline Dimension L×B×H(mm)
1	ZHWU-0.3/2.0	0.25	1	1350×600×1050
2	ZHWU-0.5/3.0	0.5	2	1600×700×1250
3	ZHWU-0.75/5.0	0.75	3	1600×1000×1250
4	ZHWU-1.0/5.0	1	5	1700×1300×1450
5	ZHWU-1.0/8.0	1	8	1750×1300×1450
6	ZHWU-1.2/6.0	1.2	6	1800×1500×1650
7	ZHWU-1.2/8.0	1.2	8	1950×1500×1650
8	ZHWU-1.5/8.0	1.5	8	1950×1500×1950
9	ZHWU-1.5/10	1.5	10	1900×1500×1950
10	ZHWU-2.0/12	2	12	2000×1600×1950
11	ZHWU-2.0/15	2	15	2500×1600×1950
12	ZHWU-2.5/18	2.5	18	2500×1800×1950
13	ZHWU-2.5/20	2.5	20	2500×1800×1950