

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

JIS MARINE GLOBE VALVE

Marine Nodular Iron SDNR Valve JIS F7321C

ISO9001 Supplier

Class Certificate

Export Supply

Marine Nodular Iron & SDNR Valve or Marine Ductile Iron & SDNR Valve is from small size DN15~DN40. Design Standard: JIS F7312C-1996 Test Standard: JIS 7400-1996 Hydraulic Test Pressure: Body-1.05M...



Key Highlights

Category	JIS Marine Globe Valve
Standard	JIS
Material	Nodular Iron/Ductile Iron
Weight / Size	Marine Nodular Iron SDNR Valve or Marine Ductile Iron SDNR Valve is from...
Certificate	CCS, Mill Certificate

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.


Technical Specifications

Category	JIS Marine Globe Valve	Model / SKU	Marine-Nodular-Iron-SDNR-Valve-JIS-F7321C
Standard	JIS	Material	Nodular Iron/Ductile Iron
Weight / Size	Marine Nodular Iron SDNR Valve or Marine Ductile Iron SDNR Valve is from small size DN15~DN40.	Certificate	CCS, Mill Certificate
Warranty	12 Months unless specified otherwise	Origin	China

CONTENTS

- China Marine Nodular Iron SDNR Valve JIS F7321C:
- Material:
- Main Size List (mm):

Marine Nodular Iron SDNR Valve JIS F7321C Drawing



China Marine Nodular Iron SDNR Valve JIS F7321C:

Marine Nodular Iron SDNR Valve or Marine Ductile Iron SDNR Valve is from small size DN15~DN40.

Design Standard: JIS F7312C-1996

Test Standard: JIS 7400-1996

Hydraulic Test Pressure: Body-1.05Mpa, Seat-0.77Mpa

Flange size as per JIS B2220 -5K

*SDNR Valve means Screw Down Non Return Valve.

Material:

Body/Bonnet-Ductile Iron FCD450

Seat-SUS (SCS2) /Bronze (BC6)

Stem-SUS (SCS2) /Brass (C3771BD)

Main Size List (mm):

DN SIZE	L	C	Hole	Weight (kg)
5K15	100	80	4 X D12	1.98
5K20	110	85	4 X D12	2.80
5K25	120	95	4 X D12	4.18

5K32	140	115	4 X D15	5.53
5K40	160	120	4 X D15	7.08