

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

PERSONAL TRANSFER BASKET

Marine Offshore Personal Transfer Basket

ISO9001 Supplier

Class Certificate

Export Supply


Marine Offshore Personal Transfer Basket Our transfer baskets are simple equipments for carrying people and supplies, especially suitable for all kinds of vessel work platform. And they are composed of t...



Key Highlights

| | |
|---------------|--|
| Category | Personal Transfer Basket |
| Standard | EN |
| Material | PP rope etc |
| Weight / Size | Model Total height Board diameter Capacity SWL Weight Volume (mm) (mm) (...) |
| Certificate | ABS, CCS can be apply. |

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.



| Technical Specifications | | | |
|--------------------------|--|-------------|--|
| Category | Personal Transfer Basket | Model / SKU | Marine-Offshore-Personal-Transfer-Basket |
| Standard | EN | Material | PP rope etc |
| Weight / Size | Model Total height Board diameter Capacity SWL Weight Volume (mm) (mm) (Persons) (kg) (kg) (m3) HY-4 6320 1420 4 380 70 0.45 HY-6 10050 1600 6 570 95 0.65 HY-8 10050 1860 8 760 100 0.75 HY-10 10050 1860 10 950 150 0.8 HY-18 10050 2500 18 1700 150 1.6 HYL-4 6320 1420 4 380 250 5.5 HYL-6 6320 1550 6 570 270 6 HYL-8 6320 1600 8 760 280 6.5 HYL-10 6320 1640 10 950 290 7 HYL-12 6320 1950 12 1140 380 11 | Certificate | ABS,CCS can be apply. |
| Warranty | 12 Months unless specified otherwise | Origin | China |

| CONTENTS | ■ China Marine Offshore Personal Transfer Basket: | ■ Specification: |
|----------|---|------------------|
|----------|---|------------------|

China Marine Offshore Personal Transfer Basket:

Marine Offshore Personal Transfer Basket

Our transfer baskets are simple equipments for carrying people and supplies,especially suitable for all kinds of vessel work platform.


And they are composed of top ring,middle ring,sling,rope net,foamed plastic liner,under pan and stabilizing device.

Specification:

Horizontal type(model HY).

Vertical type(model HYL) .

| Model | Total height (mm) | Board diameter (mm) | Capacity (Persons) | SWL (kg) | Weight (kg) | Volume (m3) |
|-------|----------------------|------------------------|-----------------------|-------------|----------------|----------------|
| HY-4 | 6320 | 1420 | 4 | 380 | 70 | 0.45 |
| HY-6 | 10050 | 1600 | 6 | 570 | 95 | 0.65 |
| HY-8 | 10050 | 1860 | 8 | 760 | 100 | 0.75 |
| HY-10 | 10050 | 1860 | 10 | 950 | 150 | 0.8 |



| | | | | | | |
|--------|-------|------|----|------|-----|-----|
| HY-18 | 10050 | 2500 | 18 | 1700 | 150 | 1.6 |
| HYL-4 | 6320 | 1420 | 4 | 380 | 250 | 5.5 |
| HYL-6 | 6320 | 1550 | 6 | 570 | 270 | 6 |
| HYL-8 | 6320 | 1600 | 8 | 760 | 280 | 6.5 |
| HYL-10 | 6320 | 1640 | 10 | 950 | 290 | 7 |
| HYL-12 | 6320 | 1950 | 12 | 1140 | 380 | 11 |