

MARINE FENDER

Marine Pneumatic Rubber Fender

Product Specification Marine pneumatic rubber fender can be provided in various sizes and types according to different customer demands. Filled with compressed air, pneumatic fender is an ideal ship protection medium...

- ISO9001 Supplier
- Class Certificate
- Export Supply



Key Highlights

Category	Marine Fender
Standard	ISO
Material	rubber
Weight / Size	Product Specification Marine pneumatic rubber fender can be provided in ...
Certificate	CCS,ABS,DNV,BV,RINA,LR,mi II certificate etc.
We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.	

Technical Specifications

Category	Marine Fender	Model / SKU	Marine-Pneumatic-Rubber-Fender
Standard	ISO	Material	rubber
Weight / Size	Product Specification Marine pneumatic rubber fender can be provided in various sizes and types according to different customer demands. Filled with compressed air, pneumatic fender is an ideal ship protection medium for marine application.	Certificate	CCS,ABS,DNV,BV,RINA,LR,mill certificate etc.
Warranty	12 Months unless specified otherwise	Origin	China

CONTENTS	■ Product Specification	■ Remark
	■ Structure Picture Of Marine Pneumatic Rubber Fender	■ Size Chart



Product Specification


Marine pneumatic rubber fender can be provided in various sizes and types according to different customer demands. Filled with compressed air, pneumatic fender is an ideal ship protection medium for marine application.

Due to its superior performance, major industries such as oil, mineral ore, offshore construction and drilling, fishing and shipbuilding, as well as port authorities and navies all over the world adopt and support it. Widely used by large tankers, LPG vessels, ocean platforms, large docks, harbor and wharfs. Tankers, Gas Carriers and Bulk Cargo Ships.

Remark

1. initial pressure: 0.05MPa and 0.08MPa can be supplied.
2. other sizes besides the below also can be customized.
3. standard: conform to the latest ISO 17357-2002 directives
4. Accessories: any kind of chains, anchors and shackles can be supplied.

Structure Picture Of Marine Pneumatic Rubber Fender



1. Outer rubber
2. Cord rubber
3. Inner rubber
4. Flange opening

Size Chart

No.	Size	Initial pressure	Energy absorption	Reaction force
	(Diameter x Length)			
	mm x mm			
1	500 x 1000	0.05	6	64
2	600 x 1000	0.05	8	74
3	700 x 1500	0.05	17	137
4	1000 x 1500	0.05	32	182
5	1000 x 2000	0.05	45	257
6	1200 x 2000	0.05	63	297
7	1350 x 2500	0.05	102	427
8	1500 x 3000	0.05	153	579
9	1700 x 3000	0.05	191	639
10	2000 x 3500	0.05	308	875

11	2500 x 4000	0.05	663	1381
12	2500 x 5000	0.05	857	1835
13	2500 x 5500	0.05	943	2019
14	3000 x 5000	0.05	1050	2000
15	3000 x 6000	0.05	1312	2488
16	3300 x 4500	0.05	1175	1884
17	4500 x 9000	0.05	4752	5747
18	4500 x 12000	0.05	6473	7984