

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

ELECTRIC HEATER

Marine electric oven

Product Description All stainless steel structure The oven with upper and lower two sets of heater and independent control The oven temperature at 30 °C, 300 °C range can be arbitrary set, and automatic constant t...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Electric Heater
Standard	EN
Material	Product Description All stainless steel structure The oven with upper an...
Weight / Size	Product Description All stainless steel structure The oven with upper an...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.



Technical Specifications

Category	Electric Heater	Model / SKU	Marine-electric-oven
Standard	EN	Material	<p>Product Description All stainless steel structure The oven with upper and lower two sets of heater and independent control The oven temperature at 30 °C, 300 °C range can be arbitrary set, and automatic constant temperature German EGO temperature control switch There are a variety of configuration combined type to choose Equipped with fixed bottom adjustable feet, convenient installation</p> <p>Technical Data Model DKX-3 DKX-9 DKX-11 DKX-15 Electric system 380V/415V-3PH-50Hz 440V/480V-3PH-60HZ Oven power(KW) 3 9.6 11.2 14.4 Boundary dimension(mm) 800*800*970 800*800*1300 800*800*1630 800*800*1630 Weight (kg) 85 110 170 180 Remark one oven one storage tank two ovens one storage tank two ovens one storage tank one fermentation tank three ovens one storage tank</p>



0.062656s

Weight / Size	<p>Product Description All stainless steel structure The oven with upper and lower two sets of heater and independent control The oven temperature at 30 °C, 300 °C range can be arbitrary set, and automatic constant temperature German EGO temperature control switch There are a variety of configuration combined type to choose Equipped with fixed bottom adjustable feet, convenient installation</p> <p>Technical Data Model DKX-3 DKX-9 DKX-11 DKX-15</p> <p>Electric system 380V/415V-3PH-50Hz 440V/480V-3PH-60HZ</p> <p>Oven power(KW) 3 9.6 11.2 14.4</p> <p>Boundary dimension(mm) 800*800*970 800*800*1300 800*800*1630 800*800*1630</p> <p>Weight (kg) 85 110 170 180</p> <p>Remark one oven one storage tank two ovens one storage tank two ovens one storage tank one fermentation tank three ovens one storage tank</p>	Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
Warranty	12 Months unless specified otherwise	Origin	China

CONTENTS
 Product Description

 Technical Data

Product Description

All stainless steel structure

The oven with upper and lower two sets of heater and independent control

The oven temperature at 30 °C, 300 °C range can be arbitrary set, and automatic constant temperature

German EGO temperature control switch

There are a variety of configuration combined type to choose

Equipped with fixed bottom adjustable feet, convenient installation

Technical Data

Model	DKX-3	DKX-9	DKX-11	DKX-15
Electric system	380V/415V-3PH-50Hz 440V/480V-3PH-60HZ			
Oven power(KW)	3	9.6	11.2	14.4
Boundary dimension(mm)	800*800*970	800*800*1300	800*800*1630	800*800*1630
Weight (kg)	85	110	170	180



Remark	one oven one storage tank	two ovens one storage tank	two ovens one storage tank one fermentation tank	three ovens one storage tank
--------	------------------------------	-------------------------------	--	---------------------------------