

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

MARINE NAVIGATION SIGNAL LIGHT


Morse Signal Light CXD7,CXD7-B

Used to identification of Morse Signal Light Communicaiton for ships

ISO9001 Supplier

Class Certificate

Export Supply

	Key Highlights	
	Category	Marine Navigation Signal Light
	Standard	GB
	Material	Confirm to the international regulation for preventing collision at sea,...
	Weight / Size	Type CXD7 CXD7-B Voltage 110V,220V Power 3X25W Visibility >5n.m Lamp Hol...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	
We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.		

Technical Specifications

Category	Marine Navigation Signal Light	Model / SKU	Morse-Signal-Light-CXD7-CXD7-B
Standard	GB	Material	Confirm to the international regulation for preventing collision at sea, 1972 and grade entry norms for steel ships.
Weight / Size	Type CXD7 CXD7-B Voltage 110V,220V Power 3X25W Visibility >5n.m Lamp Holder B22d Horizontal 360o Protection Class IP56 Cable Diameter Dia14-16 Lens Color White Material Aluminum Brass Weight 4.9kgs 8.4kgs	Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
Warranty	12 Months unless specified otherwise	Origin	China



CONTENTS

■ China Morse Signal Light CXD7,CXD7-B:

■ Main Introduction:

■ Standards:

■ Main Specification:

China Morse Signal Light CXD7,CXD7-B:

Used to identification of Morse Signal Light Communication for ships

Main Introduction:

1. The shell is made of aluminum or brass, lampshade used of PC, good structure.
2. The lamp adopts the seal structure and waterproof.
3. Equipped the special ship signal bulb.

Standards:

1. Confirm to the international regulation for preventing collision at sea, 1972 and grade entry norms for steel ships.
2. Confirm to the International Standard IEC60598-1-2008.
3. Confirm to the standard of marine electric signal light's technical condition GB/T 3028-2012.

Main Specification:

Type	CXD7	CXD7-B
Voltage	110V,220V	
Power	3X25W	
Visibility	>5n.m	
Lamp Holder	B22d	
Horizontal	360°	
Protection Class	IP56	
Cable Diameter	Dia14-16	
Lens Color	White	

Material	Aluminum	Brass
Weight	4.9kgs	8.4kgs