

Technical Specifications			
Category	Marine Tools	Model / SKU	Multifunctional-Rolling-Pipe-Bender
Standard	EN	Weight / Size	Multifunctional Rolling Pipe Bender Model DWQJ-76 Round tube Active mode(mm) $\Phi 16$, $\Phi 19, \Phi 22, \Phi 25, \Phi 32, \Phi 38, \Phi 51, \Phi 63, \Phi 76$ Passive mode(mm) $\Phi 16$, $\Phi 19, \Phi 22, \Phi 25, \Phi 32, \Phi 38, \Phi 51, \Phi 63, \Phi 76$ Square tube Active mode(mm) $\Phi 16$, $\Phi 19$, $\Phi 22, \Phi 25, \Phi 30$, $\Phi 38, \Phi 40, \Phi 50$ Passive mode(mm) $\Phi 16$, $\Phi 19$, $\Phi 22, \Phi 25, \Phi 30$, $\Phi 38, \Phi 40, \Phi 50$ Wall thickness(mm) 0.5-2 Motor Power(KW) 1.5 Voltage(V) 380 Weight(kg) 290 Dimensions (L xW x H)cm 60x89x109
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	Warranty	12 Months unless specified otherwise
Origin	China		

China Multifunctional Rolling Pipe Bender:

Multifunctional Rolling Pipe Bender

Model		DWQJ-76
Round tube	Active mode(mm)	$\Phi 16$, $\Phi 19, \Phi 22, \Phi 25, \Phi 32, \Phi 38, \Phi 51, \Phi 63, \Phi 76$
	Passive mode(mm)	$\Phi 16$, $\Phi 19, \Phi 22, \Phi 25, \Phi 32, \Phi 38, \Phi 51, \Phi 63, \Phi 76$
Square tube	Active mode(mm)	$\Phi 16$, $\Phi 19$, $\Phi 22, \Phi 25, \Phi 30$, $\Phi 38, \Phi 40, \Phi 50$
	Passive mode(mm)	$\Phi 16$, $\Phi 19$, $\Phi 22, \Phi 25, \Phi 30$, $\Phi 38, \Phi 40, \Phi 50$
Wall thickness(mm)		0.5-2
Motor Power(KW)		1.5
Voltage(V)		380
Weight(kg)		290
Dimensions (L xW x H)cm		60x89x109