

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

MARINE TOOLS

Non-Sparking Adaptor

These Non-Sparking Adaptor are made of Aluminum Bronze and Beryllium Copper, it is a high quality grade beryllium copper alloy material and a standard grade aluminum-bronze alloy. These tools are non-mag...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Marine Tools
Standard	These Non-Sparking Adaptor are made of Aluminum Bronze and Beryllium Cop...
Material	Aluminum Bronze, Beryllium Copper
Weight / Size	<input type="checkbox"/> inch <input checked="" type="checkbox"/> inch L mm Weight (g) Aluminum Bronze Beryllium Copper 3/8 1/4 2...
Certificate	EACC, IAF


We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.




Technical Specifications			
Category	Marine Tools	Model / SKU	Non-Sparking-Adaptor
Standard	These Non-Sparking Adaptor are made of Aluminum Bronze and Beryllium Copper, it is a high quality grade beryllium copper alloy material and a standard grade aluminum-bronze alloy.	Material	Aluminum Bronze, Beryllium Copper
Weight / Size	□ inch ■ inch L mm Weight (g) Aluminum Bronze Beryllium Copper 3/8 1/4 26 28 31 1/4 3/8 22 20 22 1/2 1/2 34 70 80 3/8 3/8 34 55 60 3/4 3/4 55 260 290 1/2 1/2 50 150 170 1/8 3/4 70 770 855 1/9 1 60 320 360 1/10 1 85 1510 1675 1/11 1-1/2 85 1100 1230	Certificate	EACC, IAF
Warranty	12 Months unless specified otherwise	Origin	China

China Non-Sparking Adaptor:

These Non-Sparking Adaptor are made of Aluminum Bronze and Beryllium Copper, it is a high quality grade beryllium copper alloy material and a standard grade aluminum-bronze alloy. These tools are non-magnetic and non-corrosion, very suitable used for LPG and LNG vessels, and oil-gas industry etc.



□ inch	■ inch	L mm	Weight (g)	
			Aluminum Bronze	Beryllium Copper
3/8	1/4	26	28	31
1/4	3/8	22	20	22
1/2	1/2	34	70	80
3/8	3/8	34	55	60
3/4	3/4	55	260	290
1/2	1/2	50	150	170
1/8	3/4	70	770	855
1/9	1	60	320	360



1/10	1	85	1510	1675
1/11	1-1/2	85	1100	1230