


MARINE TOOLS

Non-Sparking Crow Foot Open End Wrench

- ISO9001 Supplier
- Class Certificate
- Export Supply


These Non-Sparking Crow Foot Open End Wrench are made of Aluminum Bronze and Beryllium Copper, it is a high quality grade beryllium copper alloy material and a standard grade aluminum-bronze alloy. These tools are non-...

	Key Highlights	
	Category	Marine Tools
	Standard	EN
	Material	Aluminum Bronze, Beryllium Copper
	Weight / Size	C Inch S mm L mm Weight (g) Aluminum Bronze Beryllium Copper 3/8 9/16 35...
Certificate	EACC, IAF	
<p>We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.</p>		

Technical Specifications			
Category	Marine Tools	Model / SKU	Non-Sparking-Crow-Foot-Open-End-Wrench
Standard	EN	Material	Aluminum Bronze, Beryllium Copper
Weight / Size	C Inch S mm L mm Weight (g) Aluminum Bronze Beryllium Copper 3/8 9/16 35 50 55 5/8 37 50 55 11/16 38 50 55 7/8 43 55 60 1-1/8 50 75 83 1-1/4 53 85 95 1- 3/8 56 90 103 1-1/2 59 120 130 1- 7/8 72 160 180 2 75 165 190 2-1/4 81 180 200 1/2 14 40 55 60 16 43 58 62 17 43 58 62 19 49 95 105 20 49 95 105 22 52 102 120 27 59 125 145	Certificate	EACC, IAF
Warranty	12 Months unless specified otherwise	Origin	China

China Non-Sparking Crow Foot Open End Wrench:

These Non-Sparking Crow Foot Open End Wrench are made of Aluminum Bronze and Beryllium Copper, it is a high quality grade beryllium copper alloy material and a standard grade aluminum-bronze alloy. These tools are non-magnetic and non-corrosion, very suitable used for LPG and LNG vessels, and oil-gas industry etc.



C Inch	S mm	L mm	Weight (g)	
			Aluminum Bronze	Beryllium Copper

3/8	9/16	35	50	55
	5/8	37	50	55
	11/16	38	50	55
	7/8	43	55	60
	1-1/8	50	75	83
	1-1/4	53	85	95
	1-3/8	56	90	103
	1-1/2	59	120	130
	1-7/8	72	160	180
	2	75	165	190
	2-1/4	81	180	200
1/2	14	40	55	60
	16	43	58	62
	17	43	58	62
	19	49	95	105
	20	49	95	105
	22	52	102	120
	27	59	125	145

