

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

MARINE TOOLS

Non-Sparking Double Open Wrench

These Non-Sparking Double Open Wrench are made of Aluminum Bronze and Beryllium Copper, it is a high quality grade beryllium copper alloy material and a standard grade aluminum-bronze alloy. These tools ...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights


| | |
|---------------|--|
| Category | Marine Tools |
| Standard | EN |
| Material | Aluminum Bronze, Beryllium Copper |
| Weight / Size | S1*S2 mm L mm Weight (g) Aluminum Bronze Beryllium Copper 5.5*7 90 20 23... |
| Certificate | EACC, IAF |

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

| Technical Specifications | | | |
|--------------------------|--|--------------------|-----------------------------------|
| Category | Marine Tools | Model / SKU | Non-Sparking-Double-Open-Wrench |
| Standard | EN | Material | Aluminum Bronze, Beryllium Copper |
| Weight / Size | S1*S2 mm L mm Weight (g) Aluminum Bronze Beryllium Copper 5.5*7 90 20 23 6*7 92 22 25 7*9 96 25 28 8*10 100 31 34 9*11 110 45 50 10*11 115 47 52 10*12 120 55 60 10*14 124 62 68 12*13 128 67 73 12*14 130 69 75 13*17 150 110 120 14*15 143 105 115 14*17 150 110 120 16*17 157 120 130 16*18 163 130 145 17*19 170 135 150 17*21 173 165 185 18*19 175 180 200 19*21 182 190 210 19*22 185 200 220 19*24 190 210 235 20*22 195 225 250 21*23 200 235 270 21*26 205 245 275 S mm L mm Weight (g) Aluminum Bronze Beryllium Copper 22*24 210 285 312 22*27 215 292 320 23*36 220 302 330 24*27 230 310 345 24*30 233 330 365 25*28 236 330 365 26*32 243 420 465 27*30 250 430 485 27*32 255 549 600 30*32 265 540 610 30*36 270 730 815 32*34 270 730 815 32*36 300 800 885 34*36 300 800 885 36*38 330 1210 1350 36*41 330 1210 1350 38*40 330 1210 1350 41*46 360 1530 1690 46*50 370 1850 2050 50*55 385 1950 2160 50*60 400 2275 2488 55*60 415 2450 2700 60*65 435 3600 3950 | Certificate | EACC, IAF |
| Warranty | 12 Months unless specified otherwise | Origin | China |

China Non-Sparking Double Open Wrench:

These Non-Sparking Double Open Wrench are made of Aluminum Bronze and Beryllium Copper, it is a high quality grade beryllium copper alloy material and a standard grade aluminum-bronze alloy. These tools are non-magnetic and non-corrosion, very suitable used for LPG and LNG vessels, and oil-gas industry etc.



| S1*S2 mm | L mm | Weight (g) | |
|-------------|---------|-----------------|------------------|
| | | Aluminum Bronze | Beryllium Copper |
| 5.5*7 | 90 | 20 | 23 |
| 6*7 | 92 | 22 | 25 |
| 7*9 | 96 | 25 | 28 |
| 8*10 | 100 | 31 | 34 |
| 9*11 | 110 | 45 | 50 |
| 10*11 | 115 | 47 | 52 |
| 10*12 | 120 | 55 | 60 |
| 10*14 | 124 | 62 | 68 |
| 12*13 | 128 | 67 | 73 |
| 12*14 | 130 | 69 | 75 |
| 13*17 | 150 | 110 | 120 |
| 14*15 | 143 | 105 | 115 |
| 14*17 | 150 | 110 | 120 |
| 16*17 | 157 | 120 | 130 |
| 16*18 | 163 | 130 | 145 |
| 17*19 | 170 | 135 | 150 |
| 17*21 | 173 | 165 | 185 |
| 18*19 | 175 | 180 | 200 |
| 19*21 | 182 | 190 | 210 |
| 19*22 | 185 | 200 | 220 |
| 19*24 | 190 | 210 | 235 |
| 20*22 | 195 | 225 | 250 |
| 21*23 | 200 | 235 | 270 |
| 21*26 | 205 | 245 | 275 |
| S mm | L mm | Weight (g) | |
| | | Aluminum Bronze | Beryllium Copper |

| | | | |
|-------|-----|------|------|
| 22*24 | 210 | 285 | 312 |
| 22*27 | 215 | 292 | 320 |
| 23*36 | 220 | 302 | 330 |
| 24*27 | 230 | 310 | 345 |
| 24*30 | 233 | 330 | 365 |
| 25*28 | 236 | 330 | 365 |
| 26*32 | 243 | 420 | 465 |
| 27*30 | 250 | 430 | 485 |
| 27*32 | 255 | 549 | 600 |
| 30*32 | 265 | 540 | 610 |
| 30*36 | 270 | 730 | 815 |
| 32*34 | 270 | 730 | 815 |
| 32*36 | 300 | 800 | 885 |
| 34*36 | 300 | 800 | 885 |
| 36*38 | 330 | 1210 | 1350 |
| 36*41 | 330 | 1210 | 1350 |
| 38*40 | 330 | 1210 | 1350 |
| 41*46 | 360 | 1530 | 1690 |
| 46*50 | 370 | 1850 | 2050 |
| 50*55 | 385 | 1950 | 2160 |
| 50*60 | 400 | 2275 | 2488 |
| 55*60 | 415 | 2450 | 2700 |
| 60*65 | 435 | 3600 | 3950 |