

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

MARINE TOOLS

Non-Sparking Single Open End Wrench

These Non-Sparking Single Open End Wrench are made of Aluminum Bronze and Beryllium Copper, it is a high quality grade beryllium copper alloy material and a standard grade aluminum-bronze alloy. These tools are non-mag...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights


Category	Marine Tools
Standard	EN
Material	Aluminum Bronze, Beryllium Copper
Weight / Size	S mm L mm Weight (g) Aluminum Bronze Beryllium Copper 8 95 35 40 10 105 ...
Certificate	EACC, IAF

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Marine Tools	Model / SKU	Non-Sparking-Single-Open-End-Wrench
Standard	EN	Material	Aluminum Bronze, Beryllium Copper
Weight / Size	S mm L mm Weight (g) Aluminum Bronze Beryllium Copper 8 95 35 40 10 105 45 50 12 125 60 65 14 140 85 95 19 160 95 105 17 170 115 130 22 195 152 170 24 220 170 190 27 240 260 285 30 260 290 320 32 275 365 400 34 290 410 455 36 310 480 530 41 345 555 615 46 375 860 950 50 410 950 1080 55 450 950 1380 60 490 1200 1950 65 530 1700 2250 70 570 2550 2850 75 610 2800 3200	Certificate	EACC, IAF
Warranty	12 Months unless specified otherwise	Origin	China

China Non-Sparking Single Open End Wrench:

These Non-Sparking Single Open End Wrench are made of Aluminum Bronze and Beryllium Copper, it is a high quality grade beryllium copper alloy material and a standard grade aluminum-bronze alloy. These tools are non-magnetic and non-corrosion, very suitable used for LPG and LNG vessels, and oil-gas industry etc.



S mm	L mm	Weight (g)	
		Aluminum Bronze	Beryllium Copper
8	95	35	40
10	105	45	50
12	125	60	65
14	140	85	95
19	160	95	105
17	170	115	130
22	195	152	170

24	220	170	190
27	240	260	285
30	260	290	320
32	275	365	400
34	290	410	455
36	310	480	530
41	345	555	615
46	375	860	950
50	410	950	1080
55	450	950	1380
60	490	1200	1950
65	530	1700	2250
70	570	2550	2850
75	610	2800	3200

