

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

MARINE TOOLS

Non-Sparking Slotted Screwdriver

These Non-Sparking Slotted Screwdriver are made of Aluminum Bronze and Beryllium Copper, it is a high quality grade beryllium copper alloy material and a standard grade aluminum-bronze alloy. These tools...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights


Category	Marine Tools
Standard	These Non-Sparking Slotted Screwdriver are made of Aluminum Bronze and B...
Material	Aluminum Bronze, Beryllium Copper
Weight / Size	L1 inch L mm B mm Weight (g) Aluminum Bronze Beryllium Copper 50 134 3 3...
Certificate	EACC, IAF

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Marine Tools	Model / SKU	Non-Sparking-Slotted-Screwdriver
Standard	These Non-Sparking Slotted Screwdriver are made of Aluminum Bronze and Beryllium Copper, it is a high quality grade beryllium copper alloy material and a standard grade aluminum-bronze alloy.	Material	Aluminum Bronze, Beryllium Copper
Weight / Size	L1 inch L mm B mm Weight (g) Aluminum Bronze Beryllium Copper 50 134 3 33 35 50 134 4.5 40 43 75 159 3 32 35 75 159 4 42 45 75 180 5 65 70 100 184 4 42 45 100 205 5 70 75 100 215 6 80 85 125 240 6 95 100 150 265 6 105 110 150 265 7 120 125 150 277 8 135 140 200 327 8 155 165 250 377 9 175 185 250 377 11 245 260 300 427 10 230 245 300 427 11 275 290 350 477 11 300 320 400 550 12 430 450 450 600 13 450 485	Certificate	EACC, IAF
Warranty	12 Months unless specified otherwise	Origin	China

China Non-Sparking Slotted Screwdriver:

These Non-Sparking Slotted Screwdriver are made of Aluminum Bronze and Beryllium Copper, it is a high quality grade beryllium copper alloy material and a standard grade aluminum-bronze alloy. These tools are non-magnetic and non-corrosion, very suitable used for LPG and LNG vessels, and oil-gas industry etc.



L1 inch	L mm	B mm	Weight (g)	
			Aluminum Bronze	Beryllium Copper
50	134	3	33	35
50	134	4.5	40	43
75	159	3	32	35
75	159	4	42	45
75	180	5	65	70

100	184	4	42	45
100	205	5	70	75
100	215	6	80	85
125	240	6	95	100
150	265	6	105	110
150	265	7	120	125
150	277	8	135	140
200	327	8	155	165
250	377	9	175	185
250	377	11	245	260
300	427	10	230	245
300	427	11	275	290
350	477	11	300	320
400	550	12	430	450
450	600	13	450	485