

Jinbo Marine

Marine & Offshore Equipment Datasheet


PRODUCT DATASHEET

MARINE TOOLS

Non-Sparking Socket Wrenches

This Non-Sparking Socket Wrench is made of Aluminum Bronze and Beryllium Copper, it is a high quality grade beryllium copper alloy material and a standard grade aluminum bronze alloy. Those tools are non-magnetic and non...

- ISO9001 Supplier
- Class Certificate
- Export Supply



Key Highlights

Category	Marine Tools
Standard	EN
Material	Aluminum Bronze, Beryllium Copper
Weight / Size	S mm L mm Weight (g) Aluminum Bronze Beryllium Copper 4 25 15 17 4.5 25 15 17 5 25 15 17 5.5 25 15 17 6 25 15 17 7 25 15 17 8 25 15 17 9 25 20 21 10 25 20 22 11 25 25 27 12 26 27 30 13 26 27 30 14 26 32 35 15 27 36 40 16 27 36 40 17 27 45 50 18 27 45 50 19 27 46 51
Certificate	EACC, IAF

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.


Technical Specifications

Category	Marine Tools	Model / SKU	Non-Sparking-Socket-Wrenches
Standard	EN	Material	Aluminum Bronze, Beryllium Copper
Weight / Size	S mm L mm Weight (g) Aluminum Bronze Beryllium Copper 4 25 15 17 4.5 25 15 17 5 25 15 17 5.5 25 15 17 6 25 15 17 7 25 15 17 8 25 15 17 9 25 20 21 10 25 20 22 11 25 25 27 12 26 27 30 13 26 27 30 14 26 32 35 15 27 36 40 16 27 36 40 17 27 45 50 18 27 45 50 19 27 46 51	Certificate	EACC, IAF
Warranty	12 Months unless specified otherwise	Origin	China



China Non-Sparking Socket Wrenches:

This Non-Sparking Socket Wrench is made of Aluminum Bronze and Beryllium Copper, it is a high quality grade beryllium copper alloy material and a standard grade aluminum bronze alloy. Those tools are non-magnetic and non-corrosion, very suitable used for LPG and LNG vessels, and oil-gas industry etc.



S mm	L mm	Weight (g)	
		Aluminum Bronze	Beryllium Copper
4	25	15	17
4.5	25	15	17
5	25	15	17
5.5	25	15	17
6	25	15	17
7	25	15	17
8	25	15	17
9	25	20	21
10	25	20	22
11	25	25	27
12	26	27	30
13	26	27	30
14	26	32	35
15	27	36	40
16	27	36	40
17	27	45	50
18	27	45	50
19	27	46	51