

# Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

## MARINE TOOLS

# Non-Sparking Three Paws Type Valve Spanner

ISO9001 Supplier

Class Certificate

Export Supply

These Non-Sparking Three Paws Type Valve Spanner are made of Aluminum Bronze and Beryllium Copper, it is a high quality grade beryllium copper alloy material and a standard grade aluminum-bronze alloy. T...



### Key Highlights


<b>Category</b>	Marine Tools
<b>Standard</b>	These Non-Sparking Three Paws Type Valve Spanner are made of Aluminum Br...
<b>Material</b>	Aluminum Bronze, Beryllium Copper
<b>Weight / Size</b>	D mm L mm Weight (g) Aluminum Bronze Beryllium Copper 200 25 200 220 250...
<b>Certificate</b>	EACC, IAF

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
<b>Category</b>	Marine Tools	<b>Model / SKU</b>	Non-Sparking-Three-Paws-Type-Valve-Spanner
<b>Standard</b>	These Non-Sparking Three Paws Type Valve Spanner are made of Aluminum Bronze and Beryllium Copper, it is a high quality grade beryllium copper alloy material and a standard grade aluminum-bronze alloy.	<b>Material</b>	Aluminum Bronze, Beryllium Copper
<b>Weight / Size</b>	D mm L mm Weight (g) Aluminum Bronze Beryllium Copper 200 25 200 220 250 35 340 375 300 42 400 440 350 62 600 660 400 90 940 1030 450 110 1300 1430 500 165 1900 2090 550 225 2200 2420	<b>Certificate</b>	EACC, IAF
<b>Warranty</b>	12 Months unless specified otherwise	<b>Origin</b>	China

## China Non-Sparking Three Paws Type Valve Spanner:

These Non-Sparking Three Paws Type Valve Spanner are made of Aluminum Bronze and Beryllium Copper, it is a high quality grade beryllium copper alloy material and a standard grade aluminum-bronze alloy. These tools are non-magnetic and non-corrosion, very suitable used for LPG and LNG vessels, and oil-gas industry etc.



D mm	L mm	Weight (g)	
		Aluminum Bronze	Beryllium Copper
200	25	200	220
250	35	340	375
300	42	400	440
350	62	600	660
400	90	940	1030
450	110	1300	1430

500	165	1900	2090
550	225	2200	2420