MARINE TOOLS

Non-Sparking Wrench Double End Socket L-Type

ISO9001 Supplier

Class Certificate

Export Supply

These Non-Sparking Wrench Double End Socket L-Type are made of Aluminum Bronze and Beryllium Copper, it is a high quality grade beryllium copper alloy material and a standard grade aluminum-bronze alloy....



Key Highlights

Category	Marine Tools
Standard	EN
Material	Aluminum Bronze, Beryllium Copper
Weight / Size	S mm L mm H mm Weight (g) Aluminum Bronze Beryllium Copper 6 102 18 40 4...
Certificate	EACC, IAF

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Marine Tools	**Model / SKU**	Non-Sparking-Wrench-Double-End-Socket-L-Type
Standard	EN	**Material**	Aluminum Bronze, Beryllium Copper
Weight / Size	S mm L mm H mm Weight (g) Aluminum Bronze Beryllium Copper 6 102 18 40 45 7 106 18 45 50 8 114 22 65 72 9 122 22 80 90 10 129 25 120 130 11 136 25 125 140 12 144 28 150 165 13 152 30 185 200 14 160 32 195 215 15 169 35 240 265 16 178 35 295 325 17 187 40 315 350 18 195 40 345 380 19 204 45 440 485 21 221 50 525 580 22 230 50 590 650 24 250 55 640 705 27 280 65 1030 1135 30 310 70 1300 1460 32 330 75 1570 1730 34 350 75 1600 1760 36 370 80 1670 1840	**Certificate**	EACC, IAF
Warranty	12 Months unless specified otherwise	**Origin**	China

China Non-Sparking Wrench Double End Socket L-Type:

These Non-Sparking Wrench Double End Socket L-Type are made of Aluminum Bronze and Beryllium Copper, it is a high quality grade beryllium copper alloy material and a standard grade aluminum-bronze alloy. These tools are non-magnetic and non-corrosion, very suitable used for LPG and LNG vessels, and oil-gas industry etc.

S mm	L mm	H mm	Weight (g)	
			Aluminum Bronze	Beryllium Copper
6	102	18	40	45
7	106	18	45	50
8	114	22	65	72
9	122	22	80	90
10	129	25	120	130
11	136	25	125	140
12	144	28	150	165

13	152	30	185	200
14	160	32	195	215
15	169	35	240	265
16	178	35	295	325
17	187	40	315	350
18	195	40	345	380
19	204	45	440	485
21	221	50	525	580
22	230	50	590	650
24	250	55	640	705
27	280	65	1030	1135
30	310	70	1300	1460
32	330	75	1570	1730
34	350	75	1600	1760
36	370	80	1670	1840