

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

MARINE TOOLS

Non-Sparking Wrench Socket L Type

These Non-Sparking Wrench Socket L Type are made of Aluminum Bronze and Beryllium Copper, it is a high quality grade beryllium copper alloy material and a standard grade aluminum-bronze alloy. These tool...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights


Category	Marine Tools
Standard	EN
Material	Aluminum Bronze, Beryllium Copper
Weight / Size	S mm L mm H mm Weight (g) Aluminum Bronze Beryllium Copper 6 120 29 35 4...
Certificate	EACC, IAF

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Marine Tools	Model / SKU	Non-Sparking-Wrench-Socket-L-Type
Standard	EN	Material	Aluminum Bronze, Beryllium Copper
Weight / Size	S mm L mm H mm Weight (g) Aluminum Bronze Beryllium Copper 6 120 29 35 40 8 144 33 60 70 10 168 37 90 100 12 216 42 135 155 13 240 45 190 215 14 245 45 215 250 15 250 48 240 280 16 255 48 290 335 17 260 51 325 380 18 265 53 365 420 19 270 55 400 460 20 272 57 450 520 21 275 57 550 650 22 278 59 645 750 23 282 60 680 800 24 286 63 700 850 27 294 69 800 900 30 302 75 880 1000 32 310 81 950 1100 36 330 85 1150 1300 41 350 90 1450 1500	Certificate	EACC, IAF
Warranty	12 Months unless specified otherwise	Origin	China

China Non-Sparking Wrench Socket L Type:

These Non-Sparking Wrench Socket L Type are made of Aluminum Bronze and Beryllium Copper, it is a high quality grade beryllium copper alloy material and a standard grade aluminum-bronze alloy. These tools are non-magnetic and non-corrosion, very suitable used for LPG and LNG vessels, and oil-gas industry etc.



S mm	L mm	H mm	Weight (g)	
			Aluminum Bronze	Beryllium Copper
6	120	29	35	40
8	144	33	60	70
10	168	37	90	100
12	216	42	135	155
13	240	45	190	215

14	245	45	215	250
15	250	48	240	280
16	255	48	290	335
17	260	51	325	380
18	265	53	365	420
19	270	55	400	460
20	272	57	450	520
21	275	57	550	650
22	278	59	645	750
23	282	60	680	800
24	286	63	700	850
27	294	69	800	900
30	302	75	880	1000
32	310	81	950	1100
36	330	85	1150	1300
41	350	90	1450	1500