

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

INDUSTRIAL CHAINS

Ordinary Medium Link Chain

We are an experienced factory to supply chains of Beautiful Shape, Strong Welding as follows: G80 high strength chain, hatch cover chain, fishing chain, mining chain, conveyor chain, USA standard chain, DIN series of chain...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Industrial Chains
Standard	DIN
Material	carbon steel, Q235, Q195 or as per your requirement.
Weight / Size	We can manufacture according to your detail requestments, when you order...
Certificate	mill certificate

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.



Technical Specifications			
Category	Industrial Chains	Model / SKU	Ordinary-Medium-Link-Chain
Standard	DIN	Material	carbon steel, Q235,Q195 or as per your requirement.
Weight / Size	<p>We can manufacture according to your detail requestments, when you order our products please give us your detail requestments Link chain Specification Test load Breaking Load Net weight per 200 foot Diameter Inside length Outside width IN MM MM MM KG KG BF H.D.G 1/8 3.2 20 12 200 400 10.8 11 5/32 4 23 15 300 600 17.4 18 3/16 4.7 25 18 400 800 24.4 25 7/32 5.5 26 19 550 1100 34 35 1/4 6.35 26 23 750 1500 48.8 50 5/16 7.94 32 29 1200 2400 76 78 3/8 9.5 35 35 1700 3400 111 114 7/16 11.11 38 38 2300 4600 154 158 1/2 12.7 50 45.5 3000 6000 194 200 5/8 15.8 60 56.7 4700 9400 303 312 3/4 19 76 69 6800 13600 432 445 7/8 22.2 90 80 9250 18500 586 603 1 25.4 105 95 12150 24300 770 792</p> <p>Supply scope:</p>	Surface	galvanized
Certificate	mill certificate	Warranty	12 Months unless specified otherwise
Origin	China		

CONTENTS	■ China Ordinary Medium Link Chain:	■ Product description:
	■ Working procedures for steel link chains:	■ Supply scope:



China Ordinary Medium Link Chain:



We are an experienced factory to supply chains of Beautiful Shape, Strong Welding as follows:G80 high strength chain, hatch cover chain, fishing chain, mining chain, conveyor chain, USA standard chain, DIN series of chains, Australian standard chain and Norwegian standard chain. We also can make the nonstandard or special tensile chain according to clients' requirements, high quality and reasonable price.

Product description:

- 1.material:carbon steel, Q235,Q195 or as per your requirement.
- 2.Surface treatment: Electrical galvanized, Hot dipped galvanized,Self-color, polished, Black-painted and other .
3. Application: Chains for lifting, hoist parts
4. Packaging choice:
 - a.gunny bag, b.Iron drum,c.plastic drum,d.wooden box e.plastic wheels f.others as required

Our advantages:

- 1.About welding quality:

Welding part is smooth, firm, beautiful by advanced technical machine
- 2.About galvanized quality: Our electric galvanized chains with thick zinc coating,

Galvanized processing time: 40 minutes,galvanized can guarantee 6 months not be rusty
3. We have strict quality control system in the whole process of producing chains
4. We can supply free samples to all customers

Working procedures for steel link chains:

- 1.Receive the purchase order
2. Product requirement
- 3.Buy raw material
4. Inspect raw material
5. Store raw material
6. Wire rod drawing
7. Bending
- 8.Welding
- 9.Check surface
10. Sampling and breaking test
- 11.Calibration
12. Proof load test
13. Zinc plated or HDG
14. Sampling and breaking test
15. Cutting
16. Final inspection
17. Packing
18. After-sale service

Small quantity and trial order can be accepted./Sample order accepted.

We have confidence about the quality of the product.

We can manufacture according to your detail requestments, when you order our products please give us your detail requestments



Link chain Specification				Test load	Breaking Load	Net weight per 200 foot	
Diameter		Inside length	Outside width				
IN	MM	MM	MM	KG	KG	BF	H.D.G
1/8	3.2	20	12	200	400	10.8	11
5/32	4	23	15	300	600	17.4	18
3/16	4.7	25	18	400	800	24.4	25
7/32	5.5	26	19	550	1100	34	35
1/4	6.35	26	23	750	1500	48.8	50
5/16	7.94	32	29	1200	2400	76	78
3/8	9.5	35	35	1700	3400	111	114
7/16	11.11	38	38	2300	4600	154	158
1/2	12.7	50	45.5	3000	6000	194	200
5/8	15.8	60	56.7	4700	9400	303	312
3/4	19	76	69	6800	13600	432	445
7/8	22.2	90	80	9250	18500	586	603
1	25.4	105	95	12150	24300	770	792

Supply scope:

1. Ordinary mild steel link chain (Also known as English standard link chain)

Short link chain

Medium link chain

Long link chain

Ordinary decoration chain.

2. American standard link chain ASTM1980

Proof coil chain (G30), High test chain (G43), Transport chain (G70)

3. American standard link chain NACM1990

Proof coil chain (G30), High test chain (G43), Transport chain (G70)

4. American standard link chain NACM1996/2003

Proof coil chain (G30), High test chain (G43), Transport chain (G70)

5. German standard link chain

DIN5685 A short link chain

DIN5685 C long link chain / DIN763 link chain

DIN764 link chain



DIN766 link chain)

6. Australian standard chains

Short link chain,Medium link chain,Long link chain,Grade 70 chain,Grade L chain

7.Norwegian standard link chain

8.Korean standard link chain

9.pets chain