

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

MARINE TANK LID PACKING

PTFE Tank Lid Packing IMPA 810728

PTFE Tank Lid Packing IMPA 810728 Size:35x25mm A hollow core of chemical resistant rubber with a protective layer of PTFE tape, surrounded by a thick cushion of defibrillated polypropylene with corners constr...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Marine Tank Lid Packing
Standard	EN
Material	PTFE Tank Lid Packing IMPA 810728 Size:35x25mm A hollow core of chemical...
Weight / Size	PTFE Tank Lid Packing IMPA 810728 Size:35x25mm A hollow core of chemical...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Marine Tank Lid Packing	Model / SKU	PTFE-Tank-Lid-Packing-IMPA-810728
Standard	EN	Material	PTFE Tank Lid Packing IMPA 810728 Size:35x25mm A hollow core of chemical resistant rubber with a protective layer of PTFE tape, surrounded by a thick cushion of defibrillated polypropylene with corners constructed of the same materials (braided into cords).
Weight / Size	PTFE Tank Lid Packing IMPA 810728 Size:35x25mm A hollow core of chemical resistant rubber with a protective layer of PTFE tape, surrounded by a thick cushion of defibrillated polypropylene with corners constructed of the same materials (braided into cords).	Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
Warranty	12 Months unless specified otherwise	Origin	China

CONTENTS

- PTFE Tank Lid Packing IMPA 810728

- PTFE Tank Lid Packing Technical Specifications

PTFE Tank Lid Packing IMPA 810728

Size:35x25mm

A hollow core of chemical resistant rubber with a protective layer of PTFE tape, surrounded by a thick cushion of defibrillated polypropylene with corners constructed of the same materials (braided into cords). Over the packing is a double layer of heavy-duty PTFE tape with a final outer protection of braided PTFE yarn.

Maximum temperature 100°C (210°F);

PH 0-14.

Resistant to acids, alkalis, oils, solvents, chemicals and edible products.

Available in 15mm to 50mm diameters, in coils (specify diameter and length) or ready-made rings (specify diameter and height)

PTFE Tank Lid Packing Technical Specifications

Square Section		Rectangular Section	
IMPA CODE	Size (mm)	IMPA CODE	Size (mm)
810721	20×20	810726	20×15
810722	25×25	810727	30×20

810723	35×35	810728	35×25
810724	38×38	810729	40×30
810725	40×40		