

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

STEEL WIRE ROPE

Pear Shaped Anchor Pennant Socket

Main Specification: Wire Rope Dia(mm.) Dimension(mm) A B C D E...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights


Category	Steel Wire Rope
Standard	EN
Material	Casting Steel
Weight / Size	Wire Rope Dia(mm.) Dimension(mm) A B C D E 22- 24 185 26 100 58 27 26-28 ...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.



Technical Specifications			
Category	Steel Wire Rope	Model / SKU	Pear-Shaped-Anchor-Pennant-Socket
Standard	EN	Material	Casting Steel
Weight / Size	Wire Rope Dia(mm.) Dimension(mm) A B C D E 22-24 185 26 100 58 27 26-28 210 30 115 65 31 30-32 240 34 130 74 35 28-42 310 45 170 96 45 44-48 355 51 195 110 52 50-54 400 57 220 122 58 56-60 440 64 240 136 64 64-68 510 72 280 156 74 70-74 550 78 305 170 80 76-80 590 85 325 182 86 82-86 630 91 250 195 92 88-92 670 98 370 208 98 96- 102 740 108 410 230 108 Material:	Surface	Hot Dip Galvanized
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	Warranty	12 Months unless specified otherwise
Origin	China		

Main Specification:



Wire Rope Dia(mm.)	Dimension(mm)				
	A	B	C	D	E
22-24	185	26	100	58	27
26-28	210	30	115	65	31



30-32	240	34	130	74	35
28-42	310	45	170	96	45
44-48	355	51	195	110	52
50-54	400	57	220	122	58
56-60	440	64	240	136	64
64-68	510	72	280	156	74
70-74	550	78	305	170	80
76-80	590	85	325	182	86
82-86	630	91	250	195	92
88-92	670	98	370	208	98
96-102	740	108	410	230	108

Material: Casting Steel

Finish: Hot Dip Galvanized.

Used for Detachable Chain connecting link or Shackle.

