

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

MARINE LADDER

Pilot Ladder with Type Approval Certificate

ISO9001 Supplier

Class Certificate

Export Supply

Design Standard: CB/T3142-94, ISO799-2004, IMO A.889(21), JIS F2615-1982, SOLAS 1983 REVISION Pilot Ladder is used for the pilot to embark a ship or go aboard Good Quality With DNV type approval certificate ...



Key Highlights

Category	Marine Ladder
Standard	JIS
Material	Wood
Weight / Size	Rubber Main Size List(mm):
Certificate	CCS, BV, ABS, GL, LR, DNV, NK,RINA

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications


Category	Marine Ladder	Model / SKU	Pilot-Ladder-with-Type-Approval-Certificate
Standard	JIS	Material	Wood
Weight / Size	Rubber Main Size List(mm):	Certificate	CCS, BV, ABS, GL, LR, DNV, NK,RINA
Warranty	12 Months unless specified otherwise	Origin	China

CONTENTS

- China Pilot Ladder with Type Approval Certificate:
- Main Material:
- Main Size List(mm):

 0.044270s

China Pilot Ladder with Type Approval Certificate:



Design Standard: CB/T3142-94, ISO799-2004, IMO A.889(21), JIS F2615-1982, SOLAS 1983 REVISION

Pilot Ladder is used for the pilot to embark a ship or go aboard

Good Quality With DNV type approval certificate

Main Material:

Step: Hard Wood

Twist prevention board: Hard Wood

Rope: Manila Rope

Timble: plastic and steel/stainless steel

Bottom four pcs of step: Rubber

Main Size List(mm):

No of Step	No of twist prevention board	prevention board place	L(mm)	L1(mm)	Weight(kg)
6	1	the 5th board	1860	1550	22
7			2170	1860	25
8			2480	2170	28
9			2790	2480	31
10			3100	2790	34
11			3410	3100	37
12			3720	3410	40
13			4030	3720	43

14	2	the 5th and 12th boards	4340	4030	52
15		the 5th and 13th boards	4650	4340	55
16		the 5th and 14th boards	4960	4650	58
17				5270	61
18				5580	64
19				5890	67
20				6200	70
21				6510	73
22		6820	76		
23		3	the 5th,14th and 21st boards	7130	6820
24	the 5th,14th and 22nd boards		7440	7130	89
25	the 5th,14th and 23rd boards		7750	7440	92
26				8060	95
27				8670	98
28				8680	101
29				8990	104
30				9300	107

When the customer order, the length must be supplied.