MARINE KITCHEN GALLEY

QHZ50-2 Marine Fuel Oil Vaporization Stove

ISO9001 Supplier

Class Certificate

Export Supply

QHZ50-2 Marine Fuel Oil Vaporization Stove 1. All stainless steel structure 2. Adopt safe electronic igniter for easy operation 3. The body has a pressure tank 4. Set up handrails for wave protection 5. The bas...



Key Highlights

Category	Marine Kitchen Galley
Material	SS
Weight / Size	The base form is suitable for installation and fixing on ships QHZ50-2 M...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Marine Kitchen Galley	**Model / SKU**	QHZ50-2-Marine-Fuel-Oil-Vaporization-Stove
Material	SS	**Weight / Size**	The base form is suitable for installation and fixing on ships QHZ50-2 Marine Fuel Oil Vaporization Stove Parameters Model QHZ50-2 QH100-2 QHZ200-2 Fuel Consumption 2.5-2.8kh/h 2.5-2.8kg/h 4-4.6kg/h Voltage 220v-1PH-50Hz Power(kw) 0.3 0.3 0.3 Size(mm) 1245x645x850 1650x850x850 1840x940x850 Weight(kg) 100 130 150 QHZ50-2 Marine Fuel Oil Vaporization Stove Drawing
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	**Warranty**	12 Months unless specified otherwise
Origin	China		

CONTENTS

- QHZ50-2 Marine Fuel Oil Vaporization Stove
- QHZ50-2 Marine Fuel Oil Vaporization Stove Parameters
- QHZ50-2 Marine Fuel Oil Vaporization Stove Drawing

QHZ50-2 Marine Fuel Oil Vaporization Stove

1. All stainless steel structure
2. Adopt safe electronic igniter for easy operation
3. The body has a pressure tank
4. Set up handrails for wave protection
5. The base form is suitable for installation and fixing on ships

QHZ50-2 Marine Fuel Oil Vaporization Stove Parameters

Model	QHZ50-2	QH100-2	QHZ200-2
Fuel Consumption	2.5-2.8kh/h	2.5-2.8kg/h	4-4.6kg/h
Voltage	220v-1PH-50Hz		
Power(kw)	0.3	0.3	0.3
Size(mm)	1245x645x850	1650x850x850	1840x940x850
Weight(kg)	100	130	150

QHZ50-2 Marine Fuel Oil Vaporization Stove Drawing

