

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

LIFEBOAT AND RESCUE BOAT ACCESSORIES

QJ-1803D Marine DC regulated power supply

ISO9001 Supplier

Class Certificate

Export Supply

QJ-1803D Marine DC regulated power supply This power supply is carefully designed for use with various high-frequency walkie talkies, radio communication stations, and other related equipment Using mature and...



Key Highlights

Category	Lifeboat And Rescue Boat Accessories
Standard	EN
Material	QJ-1803D Marine DC regulated power supply This power supply is carefully...
Weight / Size	27V±0.5V Product dimensions:
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.



Technical Specifications			
Category	Lifeboat And Rescue Boat Accessories	Model / SKU	QJ-1803D-Marine-DC-regulated-power-supply
Standard	EN	Material	QJ-1803D Marine DC regulated power supply This power supply is carefully designed for use with various high-frequency walkie talkies, radio communication stations, and other related equipment Using mature and reliable electronic circuits, the main components are made of imported materials, with stable voltage performance Okay, low ripple coefficient, equipped with short circuit protection and overvoltage protection, with good product technology and maintenance Convenient, it is an ideal power source for high-frequency communication devices.
Weight / Size	27V±0.5V Product dimensions:	Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
Warranty	12 Months unless specified otherwise	Origin	China

CONTENTS

- QJ-1803D Marine DC regulated power supply

- Technical data:

QJ-1803D Marine DC regulated power supply

This power supply is carefully designed for use with various high-frequency walkie talkies, radio communication stations, and other related equipment

Using mature and reliable electronic circuits, the main components are made of imported materials, with stable voltage performance

Okay, low ripple coefficient, equipped with short circuit protection and overvoltage protection, with good product technology and maintenance

Convenient, it is an ideal power source for high-frequency communication devices.

Technical data:

Model: QJ-1803D

Output voltage: DC24V±0.5V

Output current: 3A-5A

Ripple voltage:<15mV



Voltage adjustment rate: <1.5%

Input voltage: AC220V DC21V-32V

Overvoltage protection: $27V \pm 0.5V$

Product dimensions: 140mm (width) * 250mm (length) * 110mm (height)