

# Jinbo Marine

Marine &amp; Offshore Equipment Datasheet

PRODUCT DATASHEET

## GEAR PUMP

## RCB Series Heat Gear Pump

General description The RCB series heat gear pump can transfer the medium which are solidification and crystallization under normal condition. It can heat the transport medium by filling heat conduction oil or stea...

ISO9001 Supplier

Class Certificate

Export Supply



### Key Highlights

Category	Gear Pump
Standard	CB
Material	Carbon Steel, Alloy steel
Certificate	CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

### Technical Specifications

Category	Gear Pump	Model / SKU	RCB-Series-Heat-Gear-Pump
Standard	CB	Material	Carbon Steel, Alloy steel
Certificate	CCS	Warranty	12 Months unless specified otherwise
Origin	China		

## CONTENTS


 General description

 Technical Parameter

## General description

The RCB series heat gear pump can transfer the medium which are solidification and crystallization under normal condition. It can heat the transport medium by filling heat conduction oil or steam into the hollow interlayer. RCB Series Heat Gear Pump is suitable for non-corrosive and non-solid material.

## Technical Parameter

Type	diameter	Capacity	Pressure	Suction head	Motor	 0.043106s
------	----------	----------	----------	--------------	-------	---

mm	m3/h	Mpa	m	Power(kw)	Model	
RCB-1/0.36	16	1	0.36	5	1.1	Y90S-4
RCB-1/0.8			0.8	5	1.5	Y90L-4
RCB-2/0.36	25	2	0.36	5	1.5	Y90L-4
RCB-2/0.8			0.8	5	2.2	Y100L1-4
RCB-3/0.36	25	3	0.36	5	1.5	Y100L-6
RCB-3/0.8			0.8	5	2.2	Y112M-6
RCB-5/0.36	40	5	0.36	5	2.2	Y112M-9
RCB-5/0.8			0.8	5	3	Y132S-6
RCB-6/0.36	40	6	0.36	5	2.2	Y112M-6
RCB-6/0.8			0.8	5	3	Y123S-6
RCB-8/0.36	50	8	0.36	5	3	Y132S-6
RCB-8/0.8			0.8	5	4	Y132M-6
RCB-10/0.36	50	10	0.36	5	4	Y132M1-6
RCB-10/0.8			0.8	5	5.5	Y132M2-6
RCB-12/0.36	50	12	0.36	5	4	Y132M1-6
RCB-12/0.8			0.8	5	5.5	Y132M2-6
RCB-18/0.36	70	18	0.36	5	5.5	Y132M2-6
RCB-18/0.8			0.8	5	7.5	Y160M-6
RCB-29/0.36	70	29	0.36	5	5.5	Y132S-4
RCB-29/0.8			0.8	5	7.5	Y132M-4
RCB-32/0.36	100	32	0.36	5	11	Y160L-6
RCB-32/0.8			0.8	5	15	Y180L-6
RCB-38/0.28	100	38	0.36	5	11	Y160L-6
RCB-38/0.8			0.8	5	15	Y180L-6
RCB-58/0.28	100	58	0.36	5	18.5	Y180M-4
RCB-58/0.8			0.8	5	22	Y180L-4