

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

CHAIN SLING

RHA/RHB High Strength Round Sling

Description Hing strength round sling is a sling product manufactured with high-strength materials and by applying special production on the basis of the product forms of RA、RB、RC、RD and RE for meeting the demand of...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Chain Sling
Standard	EN
Material	Description Hing strength round sling is a sling product manufactured wi...
Weight / Size	Technical Data Products code Working load limit (kg) Working loDd limit ...
Certificate	CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.



Technical Specifications			
Category	Chain Sling	Model / SKU	RHA-RHB-High-Strength-Round-Sling
Standard	EN	Material	Description Hing strength round sling is a sling product manufactured with high-strength materials and by applying special production on the basis of the product forms of RA、 RB、 RC、 RD and RE for meeting the demand of the customers for more smaller and lighter lifting sling.
Weight / Size	Technical Data Products code Working load limit (kg) Working loDd limit (kg) DpproximDte thickness (mm) DpproximDte width (mm) Min length (m) Max length (m) RHA001 RHB001 1000 3 20 1.5 RHA002 RHB002 2000 4 25 1.5 RHA003 RHB003 3000 5 30 1.5 RHA004 RHB004 4000 6 40 1.5 RHA005 RHB005 5000 7 40 1.5 RHA006 RHB006 6000 8 45 2 RHA008 RHB008 8000 10 50 2 RHA010 RHB010 10000 12 55 2 RHA012 RHB012 12000 13 60 2 RHA015 RHB015 15000 15 70 3 RHA020 RHB020 20000 17 80 3 RHA25 RHB25 25000 20 95 3 RHA030 RHB030 30000 26 110 3 RHA040 RHB040 40000 35 120 3 To be customized RHA050 RHB050 50000 41 135 4 RHA060 RHB060 60000 60 135 4 RHA080 RHB080 80000 65 140 4 RHA100 RHB100 100000 72 160 5 RHA200 RHB200 200000 109 240 5 RHA300 RHB300 300000 151 270 5 RHA400 RHB400 400000 186 345 5 RHA500 RHB500 500000 203 410 8 RHA600 RHB600 600000 222 445 8 RHA700 RHB700 700000 238 475 8 RHA800 RHB800 800000 260 495 9 RHA900 RHB900 900000 280 530 9 RHA1000 RHB1000 1000000 300 560 9	Certificate	CCS



Warranty	12 Months unless specified otherwise	Origin	China
-----------------	--------------------------------------	---------------	-------

CONTENTS	■ Description	■ Technical Data
-----------------	---------------	------------------

Description

Hing strength round sling is a sling product manufactured with high-strength materials and by applying special production on the basis of the product forms of RA、RB、RC、RD and RE for meeting the demand of the customers for more smaller and lighter lifting sling.

Technical Data

Products code	Working load limit (kg)	Working loDd limit (kg)	DpproximDte thickness (mm)	DpproximDte width (mm)	Min length (m)	Max length (m)
RHA001	RHB001	1000	3	20	1.5	
RHA002	RHB002	2000	4	25	1.5	
RHA003	RHB003	3000	5	30	1.5	
RHA004	RHB004	4000	6	40	1.5	
RHA005	RHB005	5000	7	40	1.5	
RHA006	RHB006	6000	8	45	2	
RHA008	RHB008	8000	10	50	2	
RHA010	RHB010	10000	12	55	2	
RHA012	RHB012	12000	13	60	2	
RHA015	RHB015	15000	15	70	3	
RHA020	RHB020	20000	17	80	3	
RHA25	RHB25	25000	20	95	3	
RHA030	RHB030	30000	26	110	3	
RHA040	RHB040	40000	35	120	3	To be customized
RHA050	RHB050	50000	41	135	4	
RHA060	RHB060	60000	60	135	4	
RHA080	RHB080	80000	65	140	4	
RHA100	RHB100	100000	72	160	5	
RHA200	RHB200	200000	109	240	5	
RHA300	RHB300	300000	151	270	5	
RHA400	RHB400	400000	186	345	5	



RHA500	RHB500	500000	203	410	8
RHA600	RHB600	600000	222	445	8
RHA700	RHB700	700000	238	475	8
RHA800	RHB800	800000	260	495	9
RHA900	RHB900	900000	280	530	9
RHA1000	RHB1000	1000000	300	560	9