

WELDING EQUIPMENT

RSN-2500 Classic Thyristor Welding Machine for M6-M28 Studs

Feature: 1.The thyristor control current, smooth, strong, reliable. 2.Easy control and digital display of welding voltage, current and time. 3.Circuit board is under waterproof, anticorrosion, dampproof...

- ISO9001 Supplier
- Class Certificate
- Export Supply



Key Highlights

Category	Welding Equipment
Standard	DIN
Material	When the voltage decreases, this machine can automatically stabilize wel...
Certificate	CE

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications

Category	Welding Equipment	Model / SKU	RSN-2500-Classic-Thyristor-Welding-Machine-for-M6-M28-Studs
Standard	DIN	Material	When the voltage decreases, this machine can automatically stabilize welding parameters, when the voltage is extremely low, the machine still can work normally(only the max welding current is a little lower.) 6.High strength electrostatic coating steel plate, chassis, high corrosion resistance Standard accessories and their connecting illustration:
Certificate	CE	Warranty	12 Months unless specified otherwise
Origin	China		

CONTENTS

■ Feature:

■ Standard accessories and their connecting illustration:

Feature:

- 1.The thyristor control current, smooth, strong, reliable.
- 2.Easy control and digital display of welding voltage, current and time.
- 3.Circuit board is under waterproof, anticorrosion, dampproof and dustproof treatment.
- 4.Special torch with lengthening cables, low heat, durable and workable with high load and fatigue resistance.
- 5.Compensatory capabilities of power voltage. When the voltage decreases, this machine can automatically stabilize welding parameters, when the voltage is extremely low, the machine still can work normally(only the max welding current is a little lower.)
- 6.High strength electrostatic coating steel plate, chassis, high corrosion resistance

Standard accessories and their connecting illustration:

Standard Accessories of RSN-2500			
No.	Accessories	Spec.	Qty.
(1)	torch with 5m cable	YF-DH-25	1pc
(2)	torch lengthening cable	120mm ²	25m
(3)	earth cable	120mm ²	5m

(4)	chucks	Φ13,Φ16,Φ19,Φ22,Φ24	15 sets total
(5)	ferrules and pressing plates		
(6)	earth clamp	N/A	1pc