

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

MARINE KITCHEN GALLEY

RX240 Marine Industrial Washing Machine

ISO9001 Supplier

Class Certificate

Export Supply

RX240 Marine Industrial Washing Machine 1.Open the door before the drum heavy washing machine. 2.Stainless steel cylinder inside and outside. 3.Full automatic control. 4.Electric heating system and safety contro...



Key Highlights

Category	Marine Kitchen Galley
Standard	EN
Material	SS
Weight / Size	RX240 Marine Industrial Washing Machine Specification Model Voltage Capa...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Marine Kitchen Galley	Model / SKU	RX240-Marine-Industrial-Washing-Machine
Standard	EN	Material	SS
Weight / Size	RX240 Marine Industrial Washing Machine Specification Model Voltage Capacity Rating Size(WxDxH)mm Weight SC65 380-415V/3P/50Hz 440-480V/3P/60Hz 6.5kg 3.2Kw 595x585x850 75kg RX80 380-415V/3P/50Hz 440-480V/3P/60Hz 8kg 9Kw 660x785x1115 135kg RX105 380-415V/3P/50Hz 440-480V/3P/60Hz 10.5kg 12Kw 750x785x1225 170kg RX135 380-415V/3P/50Hz 440-480V/3P/60Hz 15kg 12Kw 750x900x1225 200kg RX180 380-415V/3P/50Hz 440-480V/3P/60Hz 18kg 18Kw 890x915x1410 270kg RX240 380-415V/3P/50Hz 440-480V/3P/60Hz 24kg 18Kw 890x1060x1410 290kg	Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
Warranty	12 Months unless specified otherwise	Origin	China

CONTENTS


- RX240 Marine Industrial Washing Machine

- RX240 Marine Industrial Washing Machine Specification

RX240 Marine Industrial Washing Machine

- 1.Open the door before the drum heavy washing machine.
- 2.Stainless steel cylinder inside and outside.
- 3.Full automatic control.
- 4.Electric heating system and safety control device.
- 5.European advanced technology and production technology.

RX240 Marine Industrial Washing Machine Specification



Model	Voltage	Capacity	Rating	Size(WxDxH)mm	Weight
SC65	380-415V/3P/50Hz 440-480V/3P/60Hz	6.5kg	3.2Kw	595x585x850	75kg
RX80	380-415V/3P/50Hz 440-480V/3P/60Hz	8kg	9Kw	660x785x1115	135kg
RX105	380-415V/3P/50Hz 440-480V/3P/60Hz	10.5kg	12Kw	750x785x1225	170kg
RX135	380-415V/3P/50Hz 440-480V/3P/60Hz	15kg	12Kw	750x900x1225	200kg
RX180	380-415V/3P/50Hz 440-480V/3P/60Hz	18kg	18Kw	890x915x1410	270kg
RX240	380-415V/3P/50Hz 440-480V/3P/60Hz	24kg	18Kw	890x1060x1410	290kg