

**MARINE FENDER**

# SA-A Type Super Arch Rubber Fenders

Super Arch rubber fender is tough and reliable, simple and long lasting, providing trouble-free service for a wide variety of berthing even under the most severe conditions. Super Arch rubber fender has the better stabil...

- ISO9001 Supplier
- Class Certificate
- Export Supply



## Key Highlights

|             |                                   |
|-------------|-----------------------------------|
| Category    | Marine Fender                     |
| Standard    | DIN                               |
| Material    | rubber                            |
| Certificate | BV,CCS,ABS,,mill certificate etc. |

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

## Technical Specifications

|             |                                   |             |                                      |
|-------------|-----------------------------------|-------------|--------------------------------------|
| Category    | Marine Fender                     | Model / SKU | SA-A-Type-Super-Arch-Rubber-Fenders  |
| Standard    | DIN                               | Material    | rubber                               |
| Certificate | BV,CCS,ABS,,mill certificate etc. | Warranty    | 12 Months unless specified otherwise |
| Origin      | China                             |             |                                      |

**CONTENTS**

- China SA-A Type Super Arch Rubber Fenders:      ■ Feature:
- Specification:

### China SA-A Type Super Arch Rubber Fenders:

Super Arch rubber fender is tough and reliable, simple and long lasting, providing trouble-free service for a wide variety of berthing even under the most severe conditions. Super Arch rubber fender has the better stability and stronger attachment to the supporting structure than the traditional arch rubber fenders.



## Feature:

High energy absorption and low reaction force.

High stressed dispersibility.

Firm installation, easy to change.

## Specification:

| Model     | B(mm) | b(mm) | c(mm) | d(mm) | H(mm) | h(mm) |
|-----------|-------|-------|-------|-------|-------|-------|
| SA-A200H  | 400   | 320   | 145   | 128   | 200   | 30    |
| SA-A250H  | 500   | 410   | 175   | 160   | 250   | 33    |
| SA-A300H  | 600   | 490   | 225   | 196   | 300   | 33    |
| SA-A400H  | 800   | 670   | 300   | 260   | 400   | 40    |
| SA-A500H  | 1000  | 840   | 375   | 325   | 500   | 45    |
| SA-A600H  | 1200  | 1010  | 450   | 390   | 600   | 54    |
| SA-A800H  | 1600  | 1340  | 600   | 520   | 800   | 72    |
| SA-A1000H | 2000  | 1680  | 750   | 650   | 1000  | 90    |



