

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

SHACKLE


SB Type JIS B2801 Straight Shackle

SB Type JIS B2801 Straight Shackle Nominal Size t d B D d1 L Weigh...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Shackle
Standard	JIS
Weight / Size	SB Type JIS B2801 Straight Shackle Nominal Size t d B D d1 L Weight(kg) ...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Shackle	Model / SKU	SB-Type-JIS-B2801-Straight-Shackle
Standard	JIS	Weight / Size	SB Type JIS B2801 Straight Shackle Nominal Size t d B D d1 L Weight(kg) 10 10 12 17 25 13 40 0.15 12 12 14 20 32 16 48 1.31 14 14 16 24 36 18 56 0.49 16 16 18 26 40 20 64 0.74 18 18 21 29 45 22 72 1.23 20 20 23 31 50 25 80 1.33 22 22 26 34 55 27 88 1.53 24 24 28 39 62 31 96 1.74 26 26 30 41 66 33 104 2.48 28 28 32 43 70 35 112 2.49 30 30 34 45 75 37 120 4.6 32 32 37 48 80 39 128 6.18 34 34 39 50 85 41 136 7.61 36 36 42 54 90 43 144 9.35 38 38 44 57 95 47 152 10.98 40 40 47 60 100 49 160 12.15 42 42 49 63 105 53 168 14.27 44 44 51 66 110 56 176 16.11 46 46 53 68 115 58 184 18.19 48 48 55 72 120 60 192 20.14 50 50 57 75 125 62 200 21.88 55 55 62 83 138 67 220 29.5 60 60 69 90 150 72 240 41.24 65 65 75 98 164 79 260 50.75 70 70 81 105 178 85 280 60.41 75 75 87 112 192 92 300 76.76 80 80 93 120 206 98 320 93.19 85 85 99 128 220 104 340 112.48 90 90 104 135 232 110 360 131.73 Unit:
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	Warranty	12 Months unless specified otherwise
Origin	China		

CONTENTS

- SB Type JIS B2801 Straight Shackle
- JIS Shackle Working Load Limit, Proof Force
- JIS B2801 Shackle Type

SB Type JIS B2801 Straight Shackle

Nominal Size	t	d	B	D	d1	L	Weight(kg)
10	10	12	17	25	13	40	0.15
12	12	14	20	32	16	48	1.31

14	14	16	24	36	18	56	0.49
16	16	18	26	40	20	64	0.74
18	18	21	29	45	22	72	1.23
20	20	23	31	50	25	80	1.33
22	22	26	34	55	27	88	1.53
24	24	28	39	62	31	96	1.74
26	26	30	41	66	33	104	2.48
28	28	32	43	70	35	112	2.49
30	30	34	45	75	37	120	4.6
32	32	37	48	80	39	128	6.18
34	34	39	50	85	41	136	7.61
36	36	42	54	90	43	144	9.35
38	38	44	57	95	47	152	10.98
40	40	47	60	100	49	160	12.15
42	42	49	63	105	53	168	14.27
44	44	51	66	110	56	176	16.11
46	46	53	68	115	58	184	18.19
48	48	55	72	120	60	192	20.14
50	50	57	75	125	62	200	21.88
55	55	62	83	138	67	220	29.5
60	60	69	90	150	72	240	41.24
65	65	75	98	164	79	260	50.75
70	70	81	105	178	85	280	60.41
75	75	87	112	192	92	300	76.76
80	80	93	120	206	98	320	93.19
85	85	99	128	220	104	340	112.48
90	90	104	135	232	110	360	131.73

Unit: mm

JIS B2801 Shackle Type



JIS Shackle Working Load Limit, Proof Force



