

# Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

## LIFEBOAT AND RESCUE BOAT ACCESSORIES


# SCG025 Boat Reverse Gearbox

SCG025 Boat Reversing Gearbox are servo-automtically controlled helical gear transmission developed for use in pleasure craft and commercial craft,the servo-operated multiple-disc clutch requires only minimum effort for ...

ISO9001 Supplier

Class Certificate


Export Supply



### Key Highlights

<b>Category</b>	Lifeboat And Rescue Boat Accessories
<b>Standard</b>	DIN
<b>Weight / Size</b>	Technical Data SCG025-1 SCG025-2 SCG025-3 Forward gear 'A' Ratio i 1.54 ...
<b>Certificate</b>	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.



Technical Specifications			
<b>Category</b>	Lifeboat And Rescue Boat Accessories	<b>Model / SKU</b>	SCG025-Boat-Reverse-Gearbox
<b>Standard</b>	DIN	<b>Weight / Size</b>	Technical Data SCG025-1 SCG025-2 SCG025-3 Forward gear 'A' Ratio i 1.54 1.88 2.74 Forward gear 'A' Ratio i 2.67 2.67 2.67 Input torque Mmax pleasure craft Nm 200 200 140 Commercial Craft Nw 150 150 110 Power Input Mmax pleasure craft Nm 55 Commercial Craft Nw 40.8 Input speed Nmax r/min 4000 Propeller thrust Fmax N 4000 Weigth without oil Kg 18.5 Oil quantity L 0.75 Oil grade:Automatic transmission fluid(ATF)
<b>Certificate</b>	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	<b>Warranty</b>	12 Months unless specified otherwise
<b>Origin</b>	China		

## China SCG025 Boat Reverse Gearbox:

SCG025 Boat Reversing Gearbox are servo-automtically controlled helical gear transmission developed for use in pleasure craft and commercial craft,the servo-operated multiple-disc clutch requires only minimum effort for gear changing,making the SCG transmission suitable for single-lever remote control via a rod linkage or bowden cable.

The torque transmission capacity of the clutch is exactly rated. Preventing shock loods from exceeding a predetermined value to ensure maximum protection of the engine and thus providing the effect of a safety clutch.

Technical Data		SCG025-1	SCG025-2	SCG025-3
Forward gear 'A' Ratio	i	1.54	1.88	2.74
Forward gear 'A' Ratio	i	2.67	2.67	2.67
Input torque Mmax	pleasure craft Nm	200	200	140
	Commercial Craft Nw	150	150	110
Power Input Mmax	pleasure craft Nm	55		
	Commercial Craft Nw	40.8		
Input speed Nmax	r/min	4000		
Propeller thrust Fmax	N	4000		
Weigth without oil	Kg	18.5		
Oil quantity	L	0.75		
Oil grade:Automatic transmission fluid(ATF)				



0.066918s

