

# Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

IEC 60092 STANDARD CABLE (KOREA TYPE)


## SICI/SIOI Fire Resistant Ship Power & Control Cable 0.6/1KV(Armoured)

ISO9001 Supplier

Class Certificate

Export Supply

SICI/SIOI Cable is with the feature of Fire-resistance, Mica Tape is in the first layer after conductor. We are the biggest Marine Cable supplier in China, Cheap Price and Fast Delivery.



### Key Highlights

<b>Category</b>	IEC 60092 Standard Cable (Korea Type)
<b>Standard</b>	EN
<b>Material</b>	Tinned Copper/XLPE insulation/SHF1 sheath/Galvanized Steel Wire Braided/...
<b>Certificate</b>	ABS, LR, BV, GL, RINA, DNV, NK, KR, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

### Technical Specifications


<b>Category</b>	IEC 60092 Standard Cable (Korea Type)	<b>Model / SKU</b>	SICI-SIOI-Fire-Resistant-Ship-Power-Control-Cable-0-6-1KV-Armoured
<b>Standard</b>	EN	<b>Material</b>	Tinned Copper/XLPE insulation/SHF1 sheath/Galvanized Steel Wire Braided/SHF1
<b>Surface</b>	Galvanized	<b>Certificate</b>	ABS, LR, BV, GL, RINA, DNV, NK, KR, CCS
<b>Warranty</b>	12 Months unless specified otherwise	<b>Origin</b>	China

 0.037241s

**CONTENTS**

- China SICI/SIOI Fire Resistant Ship Power & Control Cable 0.6/1KV(Armoured):
- Cable Construction
- Feature
- Technical Specification:
- Standards
- Application

## China SICI/SIOI Fire Resistant Ship Power & Control Cable 0.6/1KV(Armoured):



SICI and SIOI Cable are Armoured Cable, Galvanized Steel Wire Braided and Tinned Copper Wire Braided respectively, both are Fire-resistant Marine Power & Control Cable, the voltage is 0.6/1KV.

### Technical Specification:

#### Cable Construction

Conductor: Tinned Copper. IEC 60228 Class 2

Mica Tape

Insulation : XLPE Insulation

Inner Sheath : Halogen-free Thermoplastic Polyolefin(SHF1)

Armour : Galvanized Wire Braided/Tinned Copper Wire Braided

Outer Sheath : Halogen-free Thermoplastic Polyolefin(SHF1), Black

#### Standards

Design : IEC 60092-350, 353

Insulation Material : IEC 60092 -351

Sheath Material : IEC 60092-359

Flammability: IEC 60332-1 & IEC 60332-3 Category A

Fire-resistant: IEC 60331

Halogen--free: IEC60754-1, IEC60754-2

Smoke Emission: IEC 61034-1, IEC61034-2



## **Feature**

Halogen-free, Low Smoke, Flame retardant, Fire resistant

## **Application**

The cable is fixed installation on ships and offshore units, used for power, lighting and control.

