STEEL CARGO BLOCK

Samson Wire Rope Blocks 3

Drawing： Picture： Specification： stock no. will(t) wire up to (mm) no.of sheave dimensions(mm) ...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Steel Cargo Block
Standard	EN
Weight / Size	will(t) wire up to (mm) no.of sheave dimensions(mm) weight(kg) D1 D2 F Φ...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS


We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Steel Cargo Block	**Model / SKU**	Samson-Wire-Rope-Blocks-3
Standard	EN	**Weight / Size**	will(t) wire up to (mm) no.of sheave dimensions(mm) weight(kg) D1 D2 F ΦG ΦJ K L M R TA TB TL 11.125.02.30 2 10 3 125 105 27 22 16 26 58 24 5.5 135 120 336 9 11.150.04.30 4 12 3 150 120 40 30 26 40 94 33 6.5 170 166 468 17 11.200.06.30 6 14 3 200 165 40 30 29 45 108 42 7.5 220 166 556 28 11.250.08.30 8 18 3 250 210 45 35 32 49 114 45 9.5 270 185 633 46 11.300.10.30 10 20 3 300 255 50 40 36 54 125 52 11 320 204 733 69 11.350.12.30 12 22 3 350 305 50 45 41 60 144 56 12 380 212 823 99 11.350.16.30 16 24 3 350 305 60 50 46 66 163 64 13 380 258 880 120 11.400.16.30 16 24 3 400 345 60 50 46 66 163 64 13 430 250 927 157 11.350.20.30 20 24 3 350 305 60 50 51 72 173 72 13 380 258 896 143 11.400.20.30 20 24 3 400 345 60 60 51 72 173 72 13 430 266 1006 184 11.350.25.30 25 24 3 350 305 60 50 60 80 195 76 13 380 26 955 170 11.400.25.30 25 24 3 400 345 60 60 60 80 195 76 13 430 266 1065 198 11.450.25.30 25 28 3 450 390 70 70 60 80 195 76 15 480 296 1120 220 11.400.30.30 30 28 3 400 345 60 60 60 90 220 80 15 430 266 1095 215 11.450.30.30 30 28 3 450 390 70 70 60 90 220 80 15 480 296 1140 255 11.400.40.30 40 28 3 400 345 60 60 - 96 96 90 15 430 278 945 250 11.450.40.30 40 28 3 450 390 70 70 - 96 96 90 15 480 308 1030 295 11.450.50.30 50 28 3 450 390 70 75 - 106 106 100 15 480 338 1055 335 Product Advantage:
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	**Warranty**	12 Months unless specified otherwise
Origin	China		

CONTENTS

- Drawing：
- Specification：
- Packing and Delivery：
- Picture：
- Product Advantage:
- How to Order?

Drawing：



Picture：



Specification：

stock no.	will(t)	wire up to (mm)	no.of sheave	dimensions(mm)												weight(kg)
				D1	D2	F	ΦG	ΦJ	K	L	M	R	TA	TB	TL	
11.125.02.30	2	10	3	125	105	27	22	16	26	58	24	5.5	135	120	336	9

11.150.04.30	4	12	3	150	120	40	30	26	40	94	33	6.5	170	166	468	17
11.200.06.30	6	14	3	200	165	40	30	29	45	108	42	7.5	220	166	556	28
11.250.08.30	8	18	3	250	210	45	35	32	49	114	45	9.5	270	185	633	46
11.300.10.30	10	20	3	300	255	50	40	36	54	125	52	11	320	204	733	69
11.350.12.30	12	22	3	350	305	50	45	41	60	144	56	12	380	212	823	99
11.350.16.30	16	24	3	350	305	60	50	46	66	163	64	13	380	258	880	120
11.400.16.30	16	24	3	400	345	60	50	46	66	163	64	13	430	250	927	157
11.350.20.30	20	24	3	350	305	60	50	51	72	173	72	13	380	258	896	143
11.400.20.30	20	24	3	400	345	60	60	51	72	173	72	13	430	266	1006	184
11.350.25.30	25	24	3	350	305	60	50	60	80	195	76	13	380	26	955	170
11.400.25.30	25	24	3	400	345	60	60	60	80	195	76	13	430	266	1065	198
11.450.25.30	25	28	3	450	390	70	70	60	80	195	76	15	480	296	1120	220
11.400.30.30	30	28	3	400	345	60	60	60	90	220	80	15	430	266	1095	215
11.450.30.30	30	28	3	450	390	70	70	60	90	220	80	15	480	296	1140	255
11.400.40.30	40	28	3	400	345	60	60	-	96	96	90	15	430	278	945	250
11.450.40.30	40	28	3	450	390	70	70	-	96	96	90	15	480	308	1030	295

11.450.50.30	50	28	3	450	390	70	75	-	106	106	100	15	480	338	1055	335

Product Advantage:

1.Satisfactory Quality
2.Competitive Price
3.Prompt Delivery
4.7x24 hours service

Packing and Delivery：

1. Standard Export Packing or Seaworthy Packing, if you have special requirement, please specify when inquiry.
2. Fast Delivery, delivery time can negotiate when order.

How to Order?

1. Please inform us the model, type or size you need.
2. Please inform us the quantity to make the best price for you.
3. Shipment Model: Air or Sea shipment.
4. Special requirement if any.