

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

MARINE HOIST

Semi Electric Forklift

Semi Electric Forklift Model FG-1016/1020/1025/1030/1035 FG-1516/1520/1525/1530/1535 FG-2016/2020 ...

ISO9001 Supplier

Class Certificate


Export Supply



Key Highlights

Category	Marine Hoist
Standard	DIN
Weight / Size	Semi Electric Forklift Model FG-1016/1020/1025/1030/1035 FG-1516/1520/1...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.



Technical Specifications

Category	Marine Hoist	Model / SKU	Semi-Electric-Forklift
Standard	DIN	Weight / Size	Semi Electric Forklift Model FG-1016/1020/1025/1030/1035 FG-1516/1520/1525/1530/1535 FG-2016/2020 Capacity(kg) 1000 1500 2000 Load Center(mm) 400 400 400 Lifting Height(mm) 1600/2000/2500/3000/3500 1600/2000/2500/3000/3500 1600/2000 Min Fork Height(mm) 90 90 90 Fork Length(mm) 1000/1150 1000/1150 1000/1150 Fork Width(mm) 160 160 160 Fork outside width(mm) 340-680 340-680 340-680 Turning Radius(mm) 1350 1450 1450 Motor Power(v/kw) 12V/1.6kw 12V/1.6kw 12V/1.6kw Battery(v/ah) 12V/120Ah 12V/120Ah 12V/120Ah Overall Length(mm) 1660 1660 1660 Overall Width(mm) 865 930 865 Frame Static Height(mm) 2080/1580/1830/2080/2330 2080/1580/1830/2080/2330 2080/1580 Loading Wheel(mm) φ74*70 φ74*70 φ74*70 Steering Wheel(mm) φ180*50 φ180*50 φ180*50 Weight(kg) 360/410/430/450/470 375/450/475/495/520 390/470
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	Warranty	12 Months unless specified otherwise
Origin	China		

China Semi Electric Forklift:

Semi Electric Forklift

Model	FG-1016/1020/1025/1030/1035	FG-1516/1520/1525/1530/1535	FG-2016/2020
Capacity(kg)	1000	1500	2000
Load Center(mm)	400	400	400
Lifting Height(mm)	1600/2000/2500/3000/3500	1600/2000/2500/3000/3500	1600/2000
Min Fork Height(mm)	90	90	90
Fork Length(mm)	1000/1150	1000/1150	1000/1150



Fork Width(mm)	160	160	160
Fork outside width(mm)	340-680	340-680	340-680
Turning Radius(mm)	1350	1450	1450
Motor Power(v/kw)	12V/1.6kw	12V/1.6kw	12V/1.6kw
Batthey(v/ah)	12V/120Ah	12V/120Ah	12V/120Ah
Overall Length(mm)	1660	1660	1660
Overall Width(mm)	865	930	865
Frame Static Height(mm)	2080/1580/1830/2080/2330	2080/1580/1830/2080/2330	2080/1580
Loading Wheel(mm)	φ74*70	φ74*70	φ74*70
Steering Wheel(mm)	φ180*50	φ180*50	φ180*50
Weight(kg)	360/410/430/450/470	375/450/475/495/520	390/470