

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

MARINE FENDER

Square Rubber Fender

Square Rubber Fender mainly install on the bow or stern of smaller vessel. Specification: Item 150HB 200HB 250HB ...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Marine Fender
Standard	EN
Material	Natural Rubber
Weight / Size	Item 150HB 200HB 250HB 300HB 350HB 400HB 500HB 600HB H 150 200 250 300 3...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.


Technical Specifications			
Category	Marine Fender	Model / SKU	Square-Rubber-Fender
Standard	EN	Material	Natural Rubber
Weight / Size	Item 150HB 200HB 250HB 300HB 350HB 400HB 500HB 600HB H 150 200 250 300 350 400 500 600 B 150 200 250 300 350 400 500 600 Φ D 75 100 125 150 175 200 250 300 Φ 1 60 65 75 80 85 95 105 115 Φ 2 27 30 33 36 40 45 50 55 Bolt Size M22 M26 M30 M32 M36 M38 M45 M52 Bolt Distance 260-330 260-330 250-320 275-330 275-350 300-370 300-400 300-450 Reaction Force(kN) 117 156 195 234 273 312 390 468 Energy Absorption(kN/M) 3.83 6.85 10.6 15.4 20.9 27.4 42.8 61.6	Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
Warranty	12 Months unless specified otherwise	Origin	China

CONTENTS	■ China Square Rubber Fender:	■ Specification:
----------	-------------------------------	------------------

China Square Rubber Fender:

Square Rubber Fender mainly install on the bow or stern of smaller vessel.

Specification:



Item	150HB	200HB	250HB	300HB	350HB	400HB	500HB	600HB
H	150	200	250	300	350	400	500	600
B	150	200	250	300	350	400	500	600
Φ D	75	100	125	150	175	200	250	300
Φ 1	60	65	75	80	85	95	105	115
Φ 2	27	30	33	36	40	45	50	55
Bolt Size	M22	M26	M30	M32	M36	M38	M45	M52

Bolt Distance	260-330	260-330	250-320	275-330	275-350	300-370	300-400	300-450
Reaction Force(kN)	117	156	195	234	273	312	390	468
Energy Absorption(kN/M)	3.83	6.85	10.6	15.4	20.9	27.4	42.8	61.6