

# Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

HOOK

## Swivel Hooks S322

Similar Name Latch hook Safety hook Lifting hook Swivel hook Main Specification  
Compromise of Hook and Latch Forging Technology 45# Steel Size Ta...

ISO9001 Supplier

Class Certificate

Export Supply



### Key Highlights

Category	Hook
Standard	EN
Material	45# Steel
Weight / Size	Similar Name Latch hook Safety hook Lifting hook Swivel hook Main Specif...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.



Technical Specifications			
Category	Hook	Model / SKU	Swivel-Hooks-S322
Standard	EN	Material	45# Steel
Weight / Size	Similar Name Latch hook Safety hook Lifting hook Swivel hook Main Specification Compromise of Hook and Latch Forging Technology 45# Steel Size Table WLL (metric) DIMENSIONS(in) Weight (lbs) 322C 322A A B C D E L R S T O 3/4 1 2 15/16 1 1/4 2 7/8 15/16 5 9/16 4 15/32 3/8 13/16 7/8 0.75 1 1 1/2 2 1/2 1 5/16 1 1/2 3 3/16 1 1/32 6 5/8 5 9/32 1/2 13/16 31/32 1.25 1 1/2 2 3 1 5/8 1 3/4 3 5/8 1 1/16 7 5/8 6 1/64 5/8 27/32 1 2.25 2 3 3 1 9/16 1 3/4 4 3/32 1 7/32 8 1/8 6 3/8 5/8 1 3/16 1 1/8 2.57 3 Feb-41 3 1/2 1 3/4 2 4 15/16 1 1/2 9 19/32 7 13/32 3/4 1 3/8 1 11/32 4.75 5 7 4 1/2 2 5/16 2 1/2 6 1/2 1 7/8 12 13/32 9 19/32 1 1 25/32 1 11/16 10.29 7 1/2 11 5 2 3/8 2 3/4 7 9/16 2 1/4 11 1/8 11 1/8 1 1/8 2 1/8 2 1/16 16.25	Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
Warranty	12 Months unless specified otherwise	Origin	China

<b>CONTENTS</b>	■ Similar Name	■ Main Specification
	■ Size Table	

## Similar Name

Latch hook

Safety hook

Lifting hook

Swivel hook

## Main Specification


Compromise of Hook and Latch

Forging Technology

45# Steel



# Size Table



WLL (metric)		DIMENSIONS(in)											Weight (lbs)
322C	322A	A	B	C	D	E	L	R	S	T	O		
3/4	1	2	15/16	1 1/4	2 7/8	15/16	5 9/16	4 15/32	3/8	13/16	7/8	0.75	
1	1 1/2	2 1/2	1 5/16	1 1/2	3 3/16	1 1/32	6 5/8	5 9/32	1/2	13/16	31/32	1.25	
1 1/2	2	3	1 5/8	1 3/4	3 5/8	1 1/16	7 5/8	6 1/64	5/8	27/32	1	2.25	
2	3	3	1 9/16	1 3/4	4 3/32	1 7/32	8 1/8	6 3/8	5/8	1 3/16	1 1/8	2.57	
3	Feb-41	3 1/2	1 3/4	2	4 15/16	1 1/2	9 19/32	7 13/32	3/4	1 3/8	1 11/32	4.75	
5	7	4 1/2	2 5/16	2 1/2	6 1/2	1 7/8	12 13/32	9 19/32	1	1 25/32	1 11/16	10.29	
7 1/2	11	5	2 3/8	2 3/4	7 9/16	2 1/4	11 1/8	11 1/8	1 1/8	2 1/8	2 1/16	16.25	

