

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

LIFE RAFT

Throw Over Board Inflatable Liferaft

Throw-over board inflatable liferafts are in accordance with 1996 Amendment to the International Convention for the Safety of Life at Sea, 1974, MSC.81 (70) , MSC.218(82), MSC.226(82) and ISO 15738-2002. This product has...

ISO9001 Supplier

Class Certificate


Export Supply



Key Highlights

Category	Life Raft
Standard	ISO
Weight / Size	Technology specifications: Type KHA-6 KHA-8 KHA-10 KHA-12 KHA-15 KHA-16...
Certificate	CCS,EC

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.



Technical Specifications			
Category	Life Raft	Model / SKU	Throw-Over-Board-Inflatable-Liferaft
Standard	ISO	Weight / Size	Technology specifications: Type KHA-6 KHA-8 KHA-10 KHA-12 KHA-15 KHA-16 KHA-20 KHA-25 KHA-30 KHA-35 Physical form regular octagon regular octagon regular octagon regular octagon regular octagon regular octagon rectangular octagon rectangular octagon rectangular octagon Capacity 6 8 10 12 15 16 20 25 30 35 Length (mm) , ±1000 2170 2460 2730 2990 3300 3350 4390 4770 5576 6070 Width (mm) , ±1000 2170 2460 2730 2990 3300 3350 3040 3370 3275 3540 Height (mm) , ±50 1250 1300 1400 1400 1500 1500 1500 1600 1700 Pack Dia (mm) 545 545 615 615 670 670 690 730 730 745 Length (mm) 1045 1045 1095 1095 1135 1135 1285 1440 1440 1485 Weight , kg ≤ 78 90 107 122 137 142 170 185 198 220
Certificate	CCS,EC	Warranty	12 Months unless specified otherwise
Origin	China		

CONTENTS

- China Throw Over Board Inflatable Liferaft:

- Technology specifications:

China Throw Over Board Inflatable Liferaft:

Throw-over board inflatable liferafts are in accordance with 1996 Amendment to the International Convention for the Safety of Life at Sea, 1974, MSC.81 (70) , MSC.218(82), MSC.226(82) and ISO 15738-2002. This product has been approved by CCS, ZY, EC (GL) etc. It can be used in the ships engaged on international voyages.

Technology specifications:

Type	KHA-6	KHA-8	KHA-10	KHA-12	KHA-15	KHA-16	KHA-20	KHA-25	KHA-30	KHA-35
Physical form	regular octagon	regular octagon	regular octagon	regular octagon	regular octagon	regular octagon	rectangular octagon	rectangular octagon	rectangular octagon	rectangular octagon



0.064840s

Capacity	6	8	10	12	15	16	20	25	30	35	
Length (mm) , ±1000	2170	2460	2730	2990	3300	3350	4390	4770	5576	6070	
Width (mm) , ±1000	2170	2460	2730	2990	3300	3350	3040	3370	3275	3540	
Height (mm) , ±50	1250	1300	1400	1400	1500	1500	1500	1500	1600	1700	
Pack	Dia (mm)	545	545	615	615	670	670	690	730	730	745
	Length (mm)	1045	1045	1095	1095	1135	1135	1285	1440	1440	1485
Weight , kg ≤	78	90	107	122	137	142	170	185	198	220	