

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

LIFE BOAT & RESCUE BOAT

Totally Enclosed Lifeboat

Product Description: Totally enclosed lifeboat can assure your life with gravity luffing arm type davit or platform davit to raise and load. it is suitable in worse sea condition, for example the ocean boat, it i...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Life boat & Rescue Boat
Standard	DIN
Material	GRP
Weight / Size	Type MAIN DIM.(m) CAPACITY(p) Hook distance(m) Host power(kw) Empty boat...
Certificate	ABS, BV, CCS, DNV, EC, GL, LR, NK, RINA, KR etc.

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.



Technical Specifications			
Category	Life boat & Rescue Boat	Model / SKU	Totally-Enclosed-Lifeboat
Standard	DIN	Material	GRP
Weight / Size	Type MAIN DIM.(m) CAPACITY(p) Hook distance(m) Host power(kw) Empty boat weight(kg) Full load boat weight(kg) BCC-5.0M 5.00X2.20X1.10 26 4.6 380J- 3/20.6 3JH30A/22.1 DV29/21.3 2107 4252 BCF-5.0M 5.00X2.20X1.10 26 4.6 2402 4547 BCC-5.7M 5.70X2.30X1.15 30 5.3 2273 4748 BCF-5.7M 5.70X2.30X1.15 30 5.3 2611 5086 BCC-6.5M 6.50X2.32X1.15 36 6.1 2861 5831 BCF-6.5M 6.50X2.32X1.15 36 6.1 3136 6106 BCC-7.5M 7.50X2.70X1.20 55 7 2832 7370 BCF-7.5M 7.50X2.70X1.20 55 7 3137 7675 BCC-8.0M 8.00X2.86X1.15 70 7.6 3395 9170 BCF-8.0M 8.00X2.86X1.15 70 7.6 3695 9470 BCC-8.5M 8.50X3.15X1.20 85 8.1 4360 11372.5 BCF-8.5M 8.50X3.15X1.20 85 8.1 4655 11667.5 BCC-9.5M 9.50X3.70X1.25 115 8.9 485J-3/30 DV48/35.3 5200 14687.5 BCF- 9.5M 9.50X3.70X1.25 115 8.9 5600 15087.5 BCC-10.3M 10.3X3.70X1.25 130 9.73 5618 16343 BCF-10.3M 10.3X3.70X1.25 130 9.73 6183 16908 BCC is common type,BCF is fire-resistant type	Certificate	ABS, BV, CCS, DNV, EC, GL, LR, NK, RINA, KR etc.
Warranty	12 Months unless specified otherwise	Origin	China

CONTENTS

■ Product Description:

■ Technical Parameter:

Product Description:

Totally enclosed lifeboat can assure your life with gravity luffing arm type davit or platform davit to raise and load. it is suitable in worse sea condition, for example the ocean boat, it is high fire-resistant.



Totally enclosed lifeboat is designed in accordance with 1996 amendments to SOLAS 1974 and LSA Code amendment by MSC218(82) and MSC81(70) amendment by MSC226(82) and MSC.272(85).

The hull of lifeboat is made of the fire reinforced plastic(F.R.P.).

The space between the inside and outside hull is filled with polyurethane foam which will supply sufficient buoyancy for the boat.

Launching using conventional davits, it is designed to safely evacuate crew from vessels and offshore platforms. All lifeboats are equipped with the latest On/Off load release systems. Designed for easy use by ship crew.

we can supply the various lifeboat(like open type lifeboat, freefall lifeboats , totally enclosed lifeboat, and partially enclosed lifeboat.) and suitable davit with very competitive price and soonest delivery time.

We also provide platform/offshore davit,free fall lifeboat landing unit,single arm rotary davit and crane,hydraulic slewing crane&rescue boat liferaft davit,high speed rescue boat langing unit,electrical lifeboat winch,electrical rescue boat winch,and inverted arm gravity davit.

Technical Parameter:

Type	MAIN DIM.(m)	CAPACITY(p)	Hook distance(m)	Host power(kw)	Empty boat weight(kg)	Full load boat weight(kg)
BCC-5.0M	5.00X2.20X1.10	26	4.6	380J-3/20.6 3JH30A/22.1 DV29/21.3	2107	4252
BCF-5.0M	5.00X2.20X1.10	26	4.6		2402	4547
BCC-5.7M	5.70X2.30X1.15	30	5.3		2273	4748
BCF-5.7M	5.70X2.30X1.15	30	5.3		2611	5086
BCC-6.5M	6.50X2.32X1.15	36	6.1		2861	5831
BCF-6.5M	6.50X2.32X1.15	36	6.1		3136	6106
BCC-7.5M	7.50X2.70X1.20	55	7		2832	7370
BCF-7.5M	7.50X2.70X1.20	55	7		3137	7675
BCC-8.0M	8.00X2.86X1.15	70	7.6		3395	9170
BCF-8.0M	8.00X2.86X1.15	70	7.6		3695	9470
BCC-8.5M	8.50X3.15X1.20	85	8.1		4360	11372.5
BCF-8.5M	8.50X3.15X1.20	85	8.1		4655	11667.5

BCC-9.5M	9.50X3.70X1.2 5	115	8.9	485J-3/30 DV48/35.3	5200	14687.5
BCF-9.5M	9.50X3.70X1.2 5	115	8.9		5600	15087.5
BCC-10.3M	10.3X3.70X1.2 5	130	9.73		5618	16343
BCF-10.3M	10.3X3.70X1.2 5	130	9.73		6183	16908
BCC is common type,BCF is fire-resistant type						