

MARINE FENDER

# Tug Boat Rubber Fender

It is mainly used all kinds of tug boat, installed in the tug boat. Specification: A-B Norms And Size a P n ...

ISO9001 Supplier

Class Certificate

Export Supply



### Key Highlights

<b>Category</b>	Marine Fender
<b>Standard</b>	EN
<b>Material</b>	Natural Rubber
<b>Weight / Size</b>	A-B Norms And Size a P n b C D Φ500xΦ400xΦ250xΦ100x160 00L 500 1000 15 60...
<b>Certificate</b>	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

### Technical Specifications

<b>Category</b>	Marine Fender	<b>Model / SKU</b>	Tug-Boat-Rubber-Fender
<b>Standard</b>	EN	<b>Material</b>	Natural Rubber
<b>Weight / Size</b>	A-B Norms And Size a P n b C D Φ500xΦ400xΦ250xΦ100x16000L 500 1000 15 60 40 500 Φ700xΦ600xΦ350xΦ100x14000L 370 780 17 60 40 700 A-B Norms And Size D' d d L I I Φ500xΦ400xΦ250xΦ100x16000L 400 250 100 16000 450 1000 Φ700xΦ600xΦ350xΦ100x14000L 600 350 100 14000 450 1000 B Type Series Norms And Size:	<b>Certificate</b>	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
<b>Warranty</b>	12 Months unless specified otherwise	<b>Origin</b>	China



Φ500xΦ220xL	60	40	500	220	100	350
Φ500xΦ200xL	60	40	500	200	100	350
Φ500xΦ150xL	60	40	500	150	100	-
Φ500xΦ100xL	60	40	500	100	-	-
Φ600xΦ300xL	60	35	600	300	400	-
Φ600xΦ250xL	60	50	600	250	100	400
Φ600xΦ220xL	60	50	600	220	100	400
Φ600xΦ200xL	60	50	600	200	100	400
Φ600xΦ150xL	60	50	600	150	100	-
Φ600xΦ100xL	60	50	600	100	-	
Φ700xΦ350xL	60	50	700	350	450	-
Φ700xΦ300xL	60	50	700	300	100	400
Φ700xΦ250xL	60	50	700	250	100	400
Φ700xΦ220xL	60	50	700	220	100	400
Φ700xΦ200xL	60	50	700	200	100	400
Φ700xΦ150xL	60	50	700	150	100	-
Φ800xΦ400xL	70	50	800	400	450	-
Φ800xΦ350xL	70	60	800	350	100	450
Φ800xΦ300xL	70	60	800	300	100	450
Φ800xΦ250xL	70	60	800	250	100	450
Φ800xΦ220xL	70	60	800	220	100	450
Φ800xΦ200xL	70	60	800	200	100	450
Φ800xΦ150xL	70	60	800	150	100	450
Φ900xΦ450xL	70	50	900	450	500	-
Φ900xΦ400xL	70	50	900	400	100	500
Φ900xΦ350xL	70	50	900	350	100	500
Φ900xΦ220xL	70	50	900	220	100	-