

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

CHAIN SLING

Two Legs Choker Chain Sling

Model Diameter of the chain (mm) WLL (t) Master link Weight/m (kg/m)
 Chain weight (kg) ...

ISO9001 Supplier

Class Certificate

Export Supply




Key Highlights

Category	Chain Sling
Material	High Quality Alloy Steel
Weight / Size	Model Diameter of the chain (mm) WLL (t) Master link Weight/m (kg/m) ...
Certificate	CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Chain Sling	Model / SKU	Two-Legs-Chocker-Chain-Sling
Material	High Quality Alloy Steel	Weight / Size	Model Diameter of the chain (mm) WLL (t) Master link Weight/m (kg/m) Chain weight (kg) $\alpha \leq 45^\circ$ $45^\circ < \alpha \leq 45^\circ$ A×B×d (mm) YHLS1-6 6 1.7 1.2 65×130×16 2.47 0.79 YHLS1-8 8 2.55 1.8 80×150×20 4.44 1.38 YHLS1-10 10 4.25 3 90×160×24 7.56 2.2 YHLS1-12 12 5.95 4.2 90×190×28 11.16 3.1 YHLS1-14 14 8.5 6 100×190×28 15.1 4.13 YHLS1-16 16 10.2 7.2 120×230×34 21.86 5.63 YHLS1-18 18 13.6 9.6 140×270×42 30.74 6.85 YHLS1-20 20 17 12 140×270×42 36.88 8.6 YHLS1-22 22 20.4 14.4 160×310×46 46.52 10.2 YHLS1-24 24 23.8 16.8 160×310×46 46.16 12.78 YHLS1-26 26 28.9 20.4 180×330×52 68.58 14.87 YHLS1-30 30 37.4 26.4 180×330×56 85.16 19.6 YHLS1-34 34 61.2 43.2 210×410×68 115.56 22.7
Certificate	CCS	Warranty	12 Months unless specified otherwise
Origin	China		

China Two Legs Chocker Chain Sling:



Model	Diameter of the chain (mm)	WLL (t)		Master link	Weight/m (kg/m)	Chain weight (kg)	A×B×d (mm)
		$\alpha \leq 45^\circ$	$45^\circ < \alpha \leq 45^\circ$				
YHLS1-6	6	1.7	1.2		65×130×16	2.47	0.79
YHLS1-8	8	2.55	1.8		80×150×20	4.44	1.38
YHLS1-10	10	4.25	3		90×160×24	7.56	2.2
YHLS1-12	12	5.95	4.2		90×190×28	11.16	3.1
YHLS1-14	14	8.5	6		100×190×28	15.1	4.13
YHLS1-16	16	10.2	7.2		120×230×34	21.86	5.63
YHLS1-18	18	13.6	9.6		140×270×42	30.74	6.85
YHLS1-20	20	17	12		140×270×42	36.88	8.6
YHLS1-22	22	20.4	14.4		160×310×46	46.52	10.2
YHLS1-24	24	23.8	16.8		160×310×46	46.16	12.78
YHLS1-26	26	28.9	20.4		180×330×52	68.58	14.87
YHLS1-30	30	37.4	26.4		180×330×56	85.16	19.6
YHLS1-34	34	61.2	43.2		210×410×68	115.56	22.7