

# Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

## MARINE STOCKLESS ANCHOR

# Type SR SPEK Ancor

Weight is from 210KGS to 20000kgs, ABS, LR, BV, DNV, GL, NK, KR, IRS and CCS Certificate; Cheap Price and Fast Delivery, we can delivery at everywhere all around the world.

ISO9001 Supplier

Class Certificate

Export Supply



### Key Highlights

Category	Marine Stockless Anchor
Standard	EN
Material	Casting Steel
Weight / Size	80KGS to 20000KGS
Certificate	ABS, LR, BV, DNV, GL, RINA, NK, KR, RS, IRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

### Technical Specifications


Category	Marine Stockless Anchor	Model / SKU	Type-SR-SPEK-Ancor
Standard	EN	Material	Casting Steel
Weight / Size	80KGS to 20000KGS	Certificate	ABS, LR, BV, DNV, GL, RINA, NK, KR, RS, IRS, CCS
Warranty	12 Months unless specified otherwise	Origin	China

#### CONTENTS

- China Type SR SPEK Ancor:
- SPEK Anchors Specification:
- SPEK Anchor Type SR Photo



## China Type SR SPEK Anchor:




Type SR SPEK Anchors is the improved anchor with lower point of gravity based on hall anchor, Anchor fluke grounded easily, more stability, when SPEK Anchor haul up, anchor fluke will turn over against the hull, which would not make damage to ship hull.

## SPEK Anchors Specification:

Material: Casting Steel

Weight: 80KGS to 20000KGS

Class Certificate: ABS, LR, BV, DNV, GL, NK, KR, IRS and CCS



Nominal Weight (KG)	Size(mm)			
	A	B	B1	F
210	810	500	340	690
240	810	500	340	690
300	980	550	390	760
360	970	600	412	828



420	970	600	412	828
450	970	600	412	828
480	1050	650	442	900
570	1050	650	442	900
610	1134	700	472	962
660	1134	700	472	962
750	1215	750	508	1032
780	1215	7850	519	1032
900	1296	800	547	1100
980	1296	800	547	1100
1020	1377	850	573	1170
1040	1458	900	591	1240
1100	1458	900	620	1240
1200	1539	950	640	1300
1300	1539	950	640	1300
1400	1539	950	671	1300
1500	1539	950	671	1300
1650	1620	1000	669	1378
1800	1700	1050	704	1454
1920	1700	1050	717	1454
2100	1700	1050	736	1454
2190	1700	1050	736	1454
2280	1782	1100	764	1454
2460	1863	1150	794	1584
2640	1863	1150	804	1584
2850	1944	1200	812	1650
3300	1944	1200	834	1650
3540	1944	1200	834	1650
3780	2187	1350	880	1850
4050	2187	1350	914	1850
4320	2268	1400	917	1926
4590	2268	1400	931	1926
4890	2268	1400	954	1926



5250	2349	1450	964	2000
5610	2349	1450	981	2000
5800	2430	1500	1006	2060
6000	2430	1500	1006	2060
6450	2430	1500	1023	2060
6900	2510	1550	1034	2138
7350	2510	1550	1062	2138
7800	2510	1550	1091	2138
8000	2510	1550	1091	2138
8300	2754	1700	1125	2332
8700	2754	1700	1166	2332
9300	2754	1700	1188	2332
9900	2754	1700	1188	2332
10500	2867	1770	1197	2440
11100	2867	1770	1212	2440
11700	2867	1770	1237	2440
12300	3094	1910	1260	2632
12900	3094	1910	1260	2632
13500	3094	1910	1316	2632
14700	3321	2050	1369	2824
16900	3434	2120	1415	2922
18800	3548	2190	1461	3018
20000	3548	2190	1493	3018

## SPEK Anchor Type SR Photo



4590KGS SPEK Anchor

Other SPEK Anchor:

[Type M SPEK Anchor](#)

[95 SPEK Anchor](#)