

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

MARINE LEVEL GAUGE

ULG Type Tubular Type Glass Level Gauge

ISO9001 Supplier

Class Certificate

Export Supply

Application: ULG-01A,01B,01C Type tubular glass level gauges can be used to indicate and measure the liquid level of water tank. ULG-01D,01E,01F Type tubular glass level gauges can be used to indicate and mea...



Key Highlights

Category	Marine Level Gauge
Standard	JIS
Material	Model Connecting type Material Center to center length Nominal pressure ...
Weight / Size	Model Connecting type Material Center to center length Nominal pressure ...
Certificate	CCS,GL,LR,BV,ABS,DNV GL,RINA,NK,KR ETC.

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.



Technical Specifications			
Category	Marine Level Gauge	Model / SKU	ULG-Type-Tubular-Type-Glass-Level-Gauge
Standard	JIS	Material	Model Connecting type Material Center to center length Nominal pressure Working temperature Connection size Upper part Lower part Protector Glass tube Valve ULG-01A ULG-01AS Breather pipe Self-closing valve Q235A GG-17 ZQSn5-5-5 H59-1 325~3765(mm) 0.3Mpa 0~100°C JIS F 7211 5K 10A JIS F 7212 10K 10A (16 10A) GB/T11693-2008 R type S type PN1.6 DN20 ULG-01B ULG-01BS Straight-through hole ULG-01C ULG-01CS Stop valve ULG-01D ULG-01DS Breather pipe Stop valve ULG-01E ULG-01ES Straight-through hole ULG-01F ULG-01FS Stop valve Self Closing Valve.
Weight / Size	Model Connecting type Material Center to center length Nominal pressure Working temperature Connection size Upper part Lower part Protector Glass tube Valve ULG-01A ULG-01AS Breather pipe Self-closing valve Q235A GG- 17 ZQSn5-5-5 H59-1 325~3765(mm) 0.3Mpa 0~100°C JIS F 7211 5K 10A JIS F 7212 10K 10A (16 10A) GB/T11693-2008 R type S type PN1.6 DN20 ULG-01B ULG-01BS Straight-through hole ULG-01C ULG-01CS Stop valve ULG-01D ULG-01DS Breather pipe Stop valve ULG-01E ULG- 01ES Straight-through hole ULG- 01F ULG-01FS Stop valve Self Closing Valve.	Certificate	CCS,GL,LR,BV,ABS,DNV GL,RINA,NK,KR ETC.
Warranty	12 Months unless specified otherwise	Origin	China

CONTENTS

- Application:

- Standard Model And Technical Specification:



0.047753s

Application:

ULG-01A,01B,01C Type tubular glass level gauges can be used to indicate and measure the liquid level of water tank.

ULG-01D,01E,01F Type tubular glass level gauges can be used to indicate and measure liquid level of small water tank and light oil tank(less than 500L)

Standard Model And Technical Specification:

Model	Connecting type		Material			Center to center length	Nominal pressure	Working temperature	Connection size
	Upper part	Lower part	Protector	Glass tube	Valve				
ULG-01A ULG-01AS	Breather pipe	Self-closing valve	Q235 A	GG-17	ZQSn5-5-5 H59-1	325~3765(m)	0.3Mpa	0~100°C	JIS F 7211 5K 10A JIS F 7212 10K 10A (16 10A) GB/T11693-2008 R type S type PN1.6 DN20
ULG-01B ULG-01BS	Straight-through hole								
ULG-01C ULG-01CS	Stop valve								
ULG-01D ULG-01DS	Breather pipe	Stop valve							
ULG-01E ULG-01ES	Straight-through hole								
ULG-01F ULG-01FS	Stop valve								

Self Closing Valve.

