MARINE HOIST

VT Chain Block Hoist

VT Chain Block Hoist The VT Series Hand Chain Hoist is a lightweight yetrobust lifting solution engineered for highintensity operations, ideal for workshop assembly, equipment main-tenance, and warehouse log...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Marine Hoist
Standard	EN
Material	Featuring a high-strength alloy steel frame and wear-resistant loadchai...
Weight / Size	VT Chain Block Hoist The VT Series Hand Chain Hoist is a lightweight yet...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Marine Hoist	**Model / SKU**	VT-Chain-Block-Hoist
Standard	EN	**Material**	Featuring a high-strength alloy steel frame and wear-resistant loadchains, combined with an optimized gear transmission system, it safely handles loads from 0.5 to 20 tons, balancing portability and durability.
Weight / Size	VT Chain Block Hoist The VT Series Hand Chain Hoist is a lightweight yetrobust lifting solution engineered for highintensity operations, ideal for workshop assembly, equipment main-tenance, and warehouse logistics.	**Certificate**	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
Warranty	12 Months unless specified otherwise	**Origin**	China

China VT Chain Block Hoist:

VT Chain Block Hoist

The VT Series Hand Chain Hoist is a lightweight yetrobust lifting solution engineered for highintensity operations, ideal for workshop assembly, equipment main-tenance, and warehouse logistics. Featuring a high-strength alloy steel frame and wear-resistant loadchains, combined with an optimized gear transmission system, it safely handles loads from 0.5 to 20 tons, balancing portability and durability.

Model	Lifting Capacity (T)	Lifting Height(M)	Testing Load(T)	Minimum Distance Between Two Hooks(N)	Number of Chains	Chain Diameter(mm)	Dimensions					Weight(KG)
							A	B	C	Φ	H	
1T	1	3	1.5	250	1	6	151	172	32	37	376	12
2T	2	3	3	335	1	8	175	210	36	45	470	19
3T	3	3	4.5	370	2	10	176	230	46	55	565	26
5T	5	3	7.5	360	2	10	189	280	46	65	688	42
10T	10	3	12.5	380	4	10	189	463	57	85	765	70