

# Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

## PERSONAL TRANSFER BASKET

# Vertical Type Personal Transfer Basket

We have vertical type personal transfer basket and horizontal type personal transfer basket available. Popular type is horizontal type personal transfer basket . The volume of vertical type is very big ,the t...

ISO9001 Supplier

Class Certificate

Export Supply



### Key Highlights

Category	Personal Transfer Basket
Standard	EN
Material	Horizontal Type Model Height Chassis diameter Allowable Person Safe work...
Weight / Size	Horizontal Type Model Height Chassis diameter Allowable Person Safe work...
Certificate	CE, ABS and KR .

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.



**Technical Specifications**

<b>Category</b>	Personal Transfer Basket	<b>Model / SKU</b>	Vertical-Type-Personal-Transfer-Basket
<b>Standard</b>	EN	<b>Material</b>	Horizontal Type Model Height Chassis diameter Allowable Person Safe working load (KG) buoyancy (person) Sling material Weight (KG) Volume HY-4 6320 1420 4 380 2 Stainless Steel Wire Rope 70 0.45 HY-6 10050 1600 6 570 3 Stainless Steel Wire Rope 95 0.65 HY-10 10050 1860 10 950 5 Stainless Steel Wire Rope 100 0.8 HY-18 10050 2500 18 1700 9 Stainless Steel Wire Rope 150 1.6 HY-(II)-4 6320 1400 4 380 2 High strength polypropylene 80 0.65 HY-(II)-6 10050 1600 6 570 3 High strength polypropylene 100 0.85 HY-(II)-10 10050 1640 10 950 10 High strength polypropylene 120 1 Vertical Type HYL-4 6320 1420 4 380 _ Stainless Steel Wire Rope 250 5.5 HYL-6 6320 1600 6 570 _ Stainless Steel Wire Rope 280 6.5 HYL-10 6320 1640 10 950 _ Stainless Steel Wire Rope 290 7 HYL-12 6320 1800 12 1140 _ Stainless Steel Wire Rope 360 9.2



<b>Weight / Size</b> Horizontal Type Model Height Chassis diameter Allowable Person Safe working load (KG) buoyancy (person) Sling material Weight (KG) Volume HY-4 6320 1420 4 380 2 Stainless Steel Wire Rope 70 0.45 HY-6 10050 1600 6 570 3 Stainless Steel Wire Rope 95 0.65 HY-10 10050 1860 10 950 5 Stainless Steel Wire Rope 100 0.8 HY-18 10050 2500 18 1700 9 Stainless Steel Wire Rope 150 1.6 HY-(II)-4 6320 1400 4 380 2 High strength polypropylene 80 0.65 HY-(II)-6 10050 1600 6 570 3 High strength polypropylene 100 0.85 HY-(II)-10 10050 1640 10 950 10 High strength polypropylene 120 1 Vertical Type HYL-4 6320 1420 4 380 _ Stainless Steel Wire Rope 250 5.5 HYL-6 6320 1600 6 570 _ Stainless Steel Wire Rope 280 6.5 HYL-10 6320 1640 10 950 _ Stainless Steel Wire Rope 290 7 HYL-12 6320 1800 12 1140 _ Stainless Steel Wire Rope 360 9.2	<b>Certificate</b> CE, ABS and KR .
<b>Warranty</b> 12 Months unless specified otherwise	<b>Origin</b> China

**CONTENTS**

- China Vertical Type Personal Transfer Basket:
- Technical Data: Horizontal Type Model Height Chassis diameter Allowable Person Safe working load (KG) buoyancy (person) Sling material Weight (KG) Volume HY-4 6320 1420 4 380 2 Stainless Steel Wire Rope 70 0.45 HY-6 10050 1600 6 570 3 Stainless Steel Wire Rope 95 0.65 HY-10 10050 1860 10 950 5 Stainless Steel Wire Rope 100 0.8 HY-18 10050 2500 18 1700 9 Stainless Steel Wire Rope 150 1.6 HY-(II)-4 6320 1400 4 380 2 High strength polypropylene 80 0.65 HY-(II)-6 10050 1600 6 570 3 High strength polypropylene 100 0.85 HY-(II)-10 10050 1640 10 950 10 High strength polypropylene 120 1 Vertical Type HYL-4 6320 1420 4 380 \_ Stainless Steel Wire Rope 250 5.5 HYL-6 6320 1600 6 570 \_ Stainless Steel Wire Rope 280 6.5 HYL-10 6320 1640 10 950 \_ Stainless Steel Wire Rope 290 7 HYL-12 6320 1800 12 1140 \_ Stainless Steel Wire Rope 360 9.2

## China Vertical Type Personal Transfer Basket:

We have vertical type personal transfer basket and horizontal type personal transfer basket available.

Popular type is horizontal type personal transfer basket .



The volume of vertical type is very big ,the transportation cost is high.

## Technical Data:

Horizontal Type	Model	Height	Chassis diameter	Allowable Person	Safe working load (KG)	buoyancy (person)	Sling material	Weight (KG)	Volume
Horizontal Type	HY-4	6320	1420	4	380	2	Stainless Steel Wire Rope	70	0.45
	HY-6	10050	1600	6	570	3	Stainless Steel Wire Rope	95	0.65
	HY-10	10050	1860	10	950	5	Stainless Steel Wire Rope	100	0.8
	HY-18	10050	2500	18	1700	9	Stainless Steel Wire Rope	150	1.6
	HY-(II)-4	6320	1400	4	380	2	High strength polypropylene	80	0.65
	HY-(II)-6	10050	1600	6	570	3	High strength polypropylene	100	0.85
	HY-(II)-10	10050	1640	10	950	10	High strength polypropylene	120	1
	Vertical Type	HYL-4	6320	1420	4	380	—	Stainless Steel Wire Rope	250
HYL-6		6320	1600	6	570	—	Stainless Steel Wire Rope	280	6.5
HYL-10		6320	1640	10	950	—	Stainless Steel Wire Rope	290	7
HYL-12		6320	1800	12	1140	—	Stainless Steel Wire Rope	360	9.2