

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

AIR AND GENERAL PURPOSE HOSE

Water Hose

Main Specification ID OD WP BP Bending Radius Plies Weight Length ...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Air and General Purpose Hose
Standard	DIN
Material	Rubber
Weight / Size	Main Specification ID OD WP BP Bending Radius Plies Weight Length mm inc...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS


We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.



Technical Specifications			
Category	Air and General Purpose Hose		Model / SKU Water-Hose
Standard	DIN		Material Rubber
Weight / Size	Main Specification ID OD WP BP Bending Radius Plies Weight Length mm inch mm inch Mpa bar Mpa bar mm B kg/m m 10 3/8" 18 3/4" 2.5 25 7.5 75 130 1 0.3 20-50 12.5 1/2" 23 7/8" 2.5 25 7.5 75 180 1 0.46 20-50 16 5/8" 26 1" 2 20 6 60 205 1 0.53 20-50 19 3/4" 29 1- 1/4" 2 20 6 60 240 1 0.6 20-50 22 7/8" 32 1-1/4" 1.5 15 4.5 45 280 1 0.8 20-50 25 1" 35 1-2/5" 1.5 15 4.5 45 300 1 0.93 20-50 31.5 1- 1/4" 42 1-5/8" 1.5 15 4.5 45 420 2 1.25 20-50 38 1-1/2" 48 1-7/8" 1.2 12 3.6 36 500 2 1.47 20-50 45 1- 3/4" 56 2-1/4" 1.2 12 3.6 36 600 2 1.76 20-50 50 2" 64 2-1/2" 1.2 12 3.6 36 630 2 1.92 20-50 57 2-1/4" 70 2-4/5" 1.2 12 3.6 36 855 2 2.1 20-50 63 2-1/2" 78 3" 1 10 3 30 960 2 2.56 20-50 76 3" 90 3-1/2" 1 10 3 30 1140 2 2.96 20-50 90 3- 1/2" 104 4" 0.8 8 2.4 24 1350 2 3.7 20-50 100 4" 116 4-5/8" 0.8 8 2.4 24 1530 2 4.22 20-50		Certificate ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
Warranty	12 Months unless specified otherwise		Origin China

Main Specification

ID		OD		WP		BP		Bending Radius	Plies	Weight	Length
mm	inch	mm	inch	Mpa	bar	Mpa	bar	mm	B	kg/m	m
10	3/8"	18	3/4"	2.5	25	7.5	75	130	1	0.3	20-50
12.5	1/2"	23	7/8"	2.5	25	7.5	75	180	1	0.46	20-50
16	5/8"	26	1"	2	20	6	60	205	1	0.53	20-50
19	3/4"	29	1-1/4"	2	20	6	60	240	1	0.6	20-50
22	7/8"	32	1-1/4"	1.5	15	4.5	45	280	1	0.8	20-50
25	1"	35	1-2/5"	1.5	15	4.5	45	300	1	0.93	20-50



31.5	1-1/4"	42	1-5/8"	1.5	15	4.5	45	420	2	1.25	20-50
38	1-1/2"	48	1-7/8"	1.2	12	3.6	36	500	2	1.47	20-50
45	1-3/4"	56	2-1/4"	1.2	12	3.6	36	600	2	1.76	20-50
50	2"	64	2-1/2"	1.2	12	3.6	36	630	2	1.92	20-50
57	2-1/4"	70	2-4/5"	1.2	12	3.6	36	855	2	2.1	20-50
63	2-1/2"	78	3"	1	10	3	30	960	2	2.56	20-50
76	3"	90	3-1/2"	1	10	3	30	1140	2	2.96	20-50
90	3-1/2"	104	4"	0.8	8	2.4	24	1350	2	3.7	20-50
100	4"	116	4-5/8"	0.8	8	2.4	24	1530	2	4.22	20-50